



Date: 25.06.2018

Ref No: GVK/PPCB/2018

To,
The Environmental Engineer,
Regional Office, Punjab Pollution Control Board,
Plot no-164, Focal Point, Mehta Road,
Amritsar, Punjab – 147001

**Sub:** Environment Statement Report for 540 MW (2 X 270 MW) Coal Based Thermal Power Plant, M/s- GVK Power (Goindwal Sahib) Limited, Goindwal Sahib, District-Tarn Taran (P.B).

Ref: Environmental Clearance Letter no- J-13011/78/2008-IA (T) Dated 9th May 2008 and amended Environmental Clearance vide letter J-13011/78/2007-IA.II (T) Dated 19th February 2014, GOI, MoEF.

Sir,

This has reference to the cited Environmental Clearance and clause no. xlvii under terms & herewith conditions issued by MoEF, New Delhi. We submit the Environment Statement Report for the Year 2017-18 of 2X270 MW Coal Based Thermal Power Plant near Goindwal Sahib by M/s. GVK Power (Goindwal Sahib) Limited, Goindwal Sahib, District-Tarn Taran, Punjab.

This is for your information and records please.

Thanking you with regards,

For M/s GVK Power (Goindwal Sahib) Limited

Vikas Chandra Shukla

Plant Head (O&M)

**Encl**: Environment Statement Report (2017-18)

GVK Power (Goindwal Sahib) Limited Goindwal Sahib Kapurthala Road, Goindwal Sahib, Dist: Taran Taran - 143 422, Punjab - India. T +91 01859 225113 F +91 01859 223332

www.gvk.com CIN: U40109TG1997PLC028483 Registered Office Palgah House, 156-159, Sardar Patel Road. Secunderabad 500 003, Telangana, India. ENERGY
RESOURCES
AIRPORTS
TRANSPORTATION
HOSPITALITY
LIFE SCIENCES

## **ENVIRONMENTAL STATEMENT REPORT**

**OF** 

GVK POWER (GOINDWAL SAHIB) LIMITED (2X270 MW COAL BASED THERMAL POWER PLANT) NEAR GOINDWAL SAHIB DIST TARN TARAN, PUNJAB

**FOR FINANCIAL YEAR ENDING 31ST MARCH 2018** 

**SUBMITTED** 

TO

REGIONAL OFFICE,
PUNJAB POLLUTION CONTROL BOARD, AMRITSAR

**GVK Power (Goindwal Sahib) Ltd.** 

## THE OFFICE OF THE WITCH AND STRAINED STREET

OF

GVK POWER (GOINDWAL SAHIB) LIMITED (2X270 MW COAL BASED THERMAL POWER PLANT) NEAR GOINDWAL SAMIR DIST TARN TAKAN, PUNIAR

### FOR FINANCIAL YILL ENDING 31 F MARCH 2018

CHITTLENEUS

OT,

TURESTONAL OFFICE.
FUNDAB POLICITION CONTROL BOATE, AMBUTSAN

### FORM – V (See rule 14)

### Environmental Statement for the Financial Year ending the 31st March 2018

#### PART - A

(i)	Name & Address of the		Bivash Chandra Ghosh		
	Owner / Occupier of the I	ndustry — —	GVK Power (Goindwal Sahib) Limited		
in.	Operation or Process		Kapurthala Road, Near Goindwal Sahib,		
elam	Ourlyng Hip Current 1804	IntamAri aroken	Dist-Tarn Taran, Punjab-143 422		
	Year (2018-19)		Telephone No01859-225102,		
	07718 KG/KWIII		Fax No01859-225113		
Ope	eration or Process	IPArs (inc.)	two yelmsti triti		
(ii)	Industry Category				
	Primary (STC CODE)		Primary Category (Large scale)		
	Secondary (SIC CODE)				
(iii)	Production Capacity		2X270 MW Thermal (Coal Based) Power		
(iv)	Year of Establishment		COD is achieved for both the units.		
			Unit-1:06.04.2016.		
		Yest of Dutput-	Unit-2:16.04.2016.		
		-{bs	Exemption at sometimed in the consent fisal		
(v)	Date of last Environmenta		09 <sup>th</sup> June, 2017		
	Submitted Submit	Concentration	Sz. Celentity of Pollutants		

#### PART – B

#### **Water & Raw Material Consumption**

i. Water Consumption, m3/day:

Process - 383

Cooling - 14034

Domestic - 56

For GVK Power (Goindwal Sahib) Ltd.

(Authorized Signatory)

1

	Process Water Consumption per unit of Product Output		
Name of the Product	During the Previous Financial Year (2017-18)	During the Current Financial Year (2018-19)	
Electricity	0.09089 M3/MWH	1.081M3/MWH	

### i. Raw Material Consumption (MT):

ويأسين فعليش	ad to 9 ha	Consumption of Raw Material per Unit Prod	
Name of the Raw Material	Name of Product	During the Previous Financial Year (2017-18)	During the Current Financial Year (2018-19)
Coal	Electricity	0.656 KG/KWH	0.715 KG/KWH
LDO	Electricity	0.42 ml/KWH	0.91 ml/KWH
HFO	Electricity	0.91 ml/KWH	0.80 ml/KWH

## PART - C

### Pollutant Discharged to Environment / Unit of Output-

(Parameter as specified in the consent issued)-

C =		Quantity of Pollutants	Concentrations of	Percentage of
Sr.	Pollutants	Discharged	Pollutants in discharged	variation from
No.		(Mass / day)	(Mass / Volume)	prescribed standard
		Zero Liquid Discharge technolog	y is adopted as well as mair	ntained properly. Sewage
		generated from residential tow	nship is treated in STP and	d treated waste water is
1	Water	being used for green belt as well	as Green Belt Developmen	t purpose.
		STP test report is enclosed as An	nexure-l	
		(STP sampling and testing was ca	arried out by PPCB approve	d Lab. ITC, Panchkula.)
		To monitoring the ground level co	oncentration of PM 2.5, PM	10, CO, NOx, SO2 and Hg
		etc., we have established ambient air quality monitoring stations		
		(not less than four) as suggeste	ed by PPCB officials. In ad	dition to that, we have
2		established 4 nos of locations in s	urrounding villages of the p	lant.
	_ AII	High Efficiency Electrostatic Pe	recipitators (ESPs) has in	stalled to ensure that
		particulate emission does not exc	eed 50 mg/Nm3.	
		275m height bi-flue stack is const	tructed with online Continu	ous Emission Monitoring
		System for monitoring of boile	r flue gases to comply th	ne norms prescribed by

For GVK Power (Goindwal Sahib) Ltd.



Board/MoEF.

Online Continuous Emission Monitoring System is installed with well connected to the PPCB/CPCB server for supplying the data.

Stack emission and Ambient Air Quality Monitoring report is attached As Annexure-II

## att til W. H. Imit. Baltinormy erfor og mennt PART – Denning Blemg silmin salegild entrityre, met

#### **Hazardous Waste:**

(as specified under Hazardous Waste Management and Handling Rules, 1989)

d by Purple Pollution	Total Quanți	ity (Kg)	
Hazardous Waste	During the Previous Financial Year	During the Current Financial Year	
(a) From Process			
(b) From Pollution Control Facilities.	2KL spent oil	2KL spent oil	

#### PART - E

#### Solid Wastes:

S MANUALANTICKOS MO PLUM		Total Quantity (MT/ANNUM)		
	Solid Waste	During the Previous Financial	During the Current Financial	
		Year (2017-18)	Year (2018-19)	
(a)	From Process	I-anozanna o Nil an musicure-l	Nil	
(b)	From Pollution Control	360603	Nil	
	facilities	300003	INII	
(c)	1. Qty. recycled or reused			
0.75	within the unit.	Nil Nil Nil	PERLIPAGE Nil LAMOTTOGA	
- 4	VENTION OF POLLUTION	SATITIVITY POLITION, PRI	жответом медуртув А	
	2. Sold	Nil	Nil	
	3. Disposed/Utilized (Ash)	Cement industry: 264451MT	Cement industry: Nil	
	Bottom Ash	96152 MT of Bottom ash in	slurry form was disposed off	
		in ash pond.		

Going Way Sahib

For GVK Power (Goindwal Sahib) Ltd.

#### PART - F

PLEASE SPECIFY THE CHARACTERISATIONS (IN TERMS OF COMPOSITION AND QUANTUM) OF HAZARDOUS AS WELL AS SOLID WASTES AND INDICATE DISPOSAL PRACTICE ADOPTED FOR BOTH THESE CATEGORIES OF WASTES.

Hazardous Waste: Only small quantity of Hazardous waste generated and it will be disposed off as per Hazardous waste Authorization for operation of a facility for Storage of hazardous wastes generated under Rule 5 of the Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 is granted by Punjab Pollution Control Board, Patiala letter vide No- HWM/TRT/2014/541392, Dated 03-01-2014 with validity period of five years till 02-01-2019.

Solid Waste: Fly ash has been utilized by cement / Brick manufacturer.

#### PART - G

IMPACT OF THE POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION.

Please refer to Annexure-III.

#### PART - H

ADDITONAL MEASURES / INVESTMENT PROPOSALS FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT POLLUTION, PREVENTION OF POLLUTION.

Please refer to Annexure-IV.

Goindway Sahib

For GVK Power (Goindwal Sahib) Ltd.

#### PART – I

**MISCELLENEOUS** - Any other Particulars for Improving the Quality of the Environment.

Details of Environment Management Programs for improving the quality of environment are as under the Environment Cell.

➤ The Company has installed APCD's as ESP & 275 meters chimney to control the Particulate matter and Water Pollution Control Units as STP & ETP for the treatment of domestic sewage and effluent generated from the various units of industry. All these equipments conform to the emission levels within the standards laid down by the MoEF/Central Pollution Control Board.

#### Environmental Cell -

The environment cell is equipped with competent and skilled persons guided by senior most executives along with the latest and advanced monitoring and analytical equipments.

Environment management department is equipped with Ambient Air Quality monitoring instrument along with stack monitoring kit for the monitoring of stack. All the air samples (Ambient and Stack) will be collected and analysed in our dedicated lab.

We have water testing latest equipments. The monitoring and analysis will be carried out by skilled and trained person only. All the required parameters for water and wastewater prescribed by Board/MoEF shall be considered for analysis in lab.

- > Treated effluent is being reused for Horticulture purpose.
- > Separate electric metering arrangement has been installed at all pollution control devices.
- ➤ Comprehensive Rural Development Programme (C.R.D.P) under Corporate Social Responsibility (C.S.R)-

As per consultation with Sate Government of Punjab 100 houses for economically weaker section are already built at Manikhera. A model Railway Station is already developed at the cost of about **Rs. 50 Crores** at Khadoor Sahib, which will be very useful for the local public of that area.

Goindwar Sahib Lo

For GVK Power (Goindwal Sahib) Ltd.

# IMPACT OF THE POLLUTION ABATEMENT MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND ON THE COST OF PRODUCTION.

Keeping in the mind as pollution abatement measures towards conservation of natural resources, we have installed or under the installation process of some units/systems to minimize the impact on natural resources that mentioned below and the same shall be implemented as and when plant is operational.

# Following measures have been adopted for abatement of pollution, conservation of natural resources:-

#### 1. Utilization of fly ash:

Fly ash generated from both units stored in silos from where it has been transported in closed container to utilised in cement manufacturing a tie up made with Ambuja cement. It leads to reducing the raising of limestone from mines and fossil fuel consumption and ultimately resulting less generation of environmental pollutants. Substantial quantity of electrical and thermal energy has also been saved.

#### 2. Use of STP treated water for the plantation purpose:


We have latest and advance technology based Sewage Treatment Plant and adopted **Zero Liquid Discharge (ZLD)**. The STP comprises of:

- 1. Primary collection tank
- 2. Aeration Tanks
- 3. Settling tank
- 4. Chlorine Contact Tank
- 5. Pressure Sand Filter and
- 6. Activated Carbon Filter
- 7. Treated water holding tank
- 8. UV system

The sewage collected from the different part of colony is being collected in raw sewage tank for homogenization of raw sewage water. Then this homogenized sewage water comes to Aeration tank for sufficient aeration of sewage and then conveyed to settling

For GVK Power (Goindwal Sahib) Ltd.

tank where the suspended particle is being settled down through natural gravity. After this clarified water collected in intermediate holding tank and sludge settled at the bottom of clarifier is transported to sludge drying beds. Now the water from the intermediate tank is passed through chlorine contact tank and then pressure sand filter and then activated carbon filter ultimately collected in the treated water holding tank and bring down the treated water quality within permissible limit. The treated water is being reused in horticulture, green belt development & STP sludge is being used as manure for Green Belt Development.




### 3. Use of ETP treated water for dust suppression and ash disposal

The Effluent treatment plant has installed to treat the effluent generated from 2 X 270 MW coal base Thermal Power Plant of M/s. GVK Power (Goindwal Sahib) Ltd. at Goindwal Sahib Punjab and adopted **Zero Liquid Discharge (ZLD)**. Treated water will be reused for dust suppression and Ash handling System, thus reducing the requirement of fresh water.

Goindway Sahib

For GVK Power (Goindwal Sahib) Ltd.



**Effluent Treatment Plant** 

- **4. Ash water recovery system** has installed for Ash handling system reducing the requirement of fresh water for ash disposal.
- 5. Implementation of Rainwater harvesting system is under progress.

Total cost towards the installation of ETP & STP is approx. Rs. 19.00 Crores.

The treated effluent is being recycled resulting into conservation of Natural Resources (Fresh Water).

#### 6. Extensive plantation in and around the plant:

Goind

Tree plantation is an integral part to the environment management plan of the industry. The plantation drive is being carried out throughout the year. We have dedicated team of skilled horticultural worker for plantation work and arboriculture with special reference to high density plantation (HDP) and green belt development program at our plant under the supervision of experienced person (Horticulture Officer).

We have the green belt coverage area of more than 33% inside the plant and colony pre mises. The species planted/ to be planted being preferred for the plantation having following characteristics-

For GVK Power (Goindwal Sahib) Ltd.

- 1- Fast growing with thick canopy cover.
- 2- Adequate height with longer duration of foliage.
- 3- Perennial and evergreen.
- 4. Dust tolerance
- 5. Low water requirement

As green belt development work is under progress in scientific manner and 100% of green belt development work has been completed with different verities of plants within and around the plant premises with maintaining of tree density not less than 2500 per hectare with survival rate not less than 80%.

We have planted some fruit bearing tree varieties like Mango (Mangifera Indica), Plum (Prunus), Pear (Pyrus), Peach (Prunus Persica) & Pomegranate (Punica granatum) etc.

GVK Power Goindwal Sahib Limited has made provision of an amount Rs. 5.50 Crores towards green belt development work.

For GVK Power (Goindwal Sahib) Ltd.



#### PHOTOGRAPHS OF EXISTING GREENBELT



East side of the plant



For GVK Power (Goindwal Sahib) Ltd.

#### West side of the plant



North side of the plant



South side of the plant of the

For GVK Power (Goindwal Sahib) Ltd.



SW side of the plant



SE side of the plant

#### 7. Scheduled maintenance and monitoring of Pollution Control Devices

Scheduled maintenance and monitoring of all Air Pollution Control Device's (APCD'S) like Bag Filters and ESP as well as water pollution control units are being regularly



For GVK Power (Goindwal Sahib) Ltd.

undertaken to ensure their efficient operations in order to keep emissions level within the prescribed limit.

#### 8. Good House keeping

Following measures have been taken for good housekeeping in around the Plant:-

- All the raw materials are stored in yard in proper manner to avoid fugitive emission.
- > The conveyor belts are fully covered.
- > Fly ash is being stored in silos.
- ➤ Water sprinkling for dust suppression on the road and other dust generation points in the plant is being done.
- All the roads of colony have been concreted as well as plantation has been done by the road side.
- > Only covered trucks/Bulker is allowed to carry fly ash.
- > Development of extensive green belt in the plant.

THE PROPERTY STREET FOR STREET AS WELL SET WELL SET WELL SET WELL SET WELLS SET WORKEN SON SELLENGER SET WELLS SET WOOD SELLENGER SELLEN

soind

eddiad Januarrada as squaindar subushi

For GVK Power (Goindwal Sahib) Ltd.

# ADDITONAL MEASURES / INVESTMENT PROPOSALS FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT POLLUTION, PREVENTION OF POLLUTION

#### Additional measures being taken for prevention of Pollution are as under:

- I. Green belt development is under progress and 100% of green belt development work has been completed with different verities of plants within and around the plant premises with maintaining of tree density not less than 2500 per hectare with survival rate not less than 80% as prescribed in Environmental Clearance granted by MoEF, New Delhi
- II. Scheduled maintenance and monitoring of all Air Pollution Control Device's (APCD'S) as well as Water Pollution Control Units are being regularly undertaken to ensure their efficient operations in order to keep emissions level within the prescribed limit.
- III. Regular sprinkling and spraying of water is being done through dedicated water tankers for control of any type of fugitive dust arises from roads. Repairing of internal road inside the plant to reduce fugitive dust emission.
- IV. The STP & ETP treated water is being reused in horticulture, green belt development and dust suppression & ash disposal system respectively and STP sludge is being used as manure for Green Belt Development.
- V. Good housekeeping practices are being followed to avoid dust deposition on roads
- VI. As awareness program, slogans on Pollution control, environmental protection, tree plantation and energy conservation to be displayed at the prominent location in green background and white printing.
- VII. Awareness programs like plantation activities, Slogan competition, Drawing /Painting completion, Power Point Presentation was organized for children as well as Employees for awareness on environment protection/ Natural resources conservation at our residential Colony on 5<sup>th</sup> June (World Environment Day). An report on Celebration of World Environment Day 5<sup>th</sup> June, 2017 enclosed.

Goind

Emphasis is given for devising concrete; action-oriented activates that serve as worthwhile solutions to the issue/ problem related to the environment. The awareness was organized for employees/families

For GVK Power (Goindwal Sahib) Ltd.

- VIII. An awareness program was conducted on plastic pollution among families/ employees/ childrens as enclosed.
- IX. Mass plantation drive was carried out to save the environment and ecological balance has created an ECO-Club which carries out tree plantation every year except green belt development. With an impetus to carry forward its services for the betterment of the society, GVK celebrated WORLD ENVIRONMENT DAY, 5TH JUNE, 2017 as well as "THE FESTIVAL OF TREES" VAN MAHOTSAV WEEK from 07.07.2017 to 13.07.2017 with organizing Tree Plantation Drive with 3000 samplings with multiple varieties of Rebelia arjuna (Arjun), Cassia fistula (Amaltash), Dalbergia sisso (Sisson) & Pingomia Pinnata (Sukh Chain) where the employees, families, kids, childrens and contract work man planted trees to keep the environment clean and maintain the life-support systems of the planet Earth. This event witnessed an enthusiastic response from the GVK family & contract work man. Moreover, fruit bearing plants with variety of Magnifera Indica (Mango) were also planted in GVK Township to decorate it as well as to maintain the flora & fauna in view of ecological balance. As responsible citizens we owe a duty towards Mother Nature. It is commendable to mark that GVK has not just set a benchmark in their business but has taken enormous steps towards social services.

A full report hard copy on each programme with photographs is enclosed.




For GVK Power (Goindwal Sahib) Ltd.

Many plantam draw was arrived and to are the amounted and analogical belong that is cared as ECO this whole-curred out the participal courty to except present at the development from a present that is a series for the participant of the series to the series that the court of the series for the participant of the restrict QT many used to the form COURT as well as Tell and the participant of the participant of the first series of the series of the

A TUP report that a convenience because an arm with abordonals, is exercised





AWVEXURE-F

STP Test Report



# Interstellar Testing Centre Pvt. Ltd. (Formerly International Testing Centre)

(A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana),

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



#### **Test Report**

Document QF: 2501 Page 2 of 3

Issued To	Report No. :E01-180	5210642
GVK Power (Goindwal Sahib) Ltd. 4 Shee 56 Sheened see No Sanit	Sample Reg. Date :21-05-20	018
Goindwal Sahib-Kapurthala Road, VPO Goindwal Sahib, Tehsil:	Report Date :08-06-20	018
Khadur Sahib,	Customer Ref. No.:-	
Tarn Taran	Letter Dated :-	and the contract t

S.No.	Test Parameter	Method	Requirement	Result
l'est [	Details:	عديث بالرازع عاد سنت	للتباد إللار النصا اطارواوها	
1,	Description			
a.	The dample of our filler was collected by lab tep, oil 16.03 2016			
2.	General Parameters	10.0005/8		
a.	Colour	1S:3025(Part4):1983(RA:2017) aind. no.l		Blackish
b.	Odour	18:3025(Part 5):1983(RA:2017)		Musty
c.	pH Value	TS:3025 (Part - TL):1983(RA:2017)		8 02
d.	Total Suspended Solids(mg/l)	IS:3025(Part 17)		192
е	Chemical Oxygen Demand(mg/l)	APHA-23rd Edition		312
ť.	Bio-chemical Oxygen Demand(mg/l)(3 days at 27°C)	IS:3025(P-44)	ř.	105
g.	Oil & Grease(mg/l)	IS:3025(P-39)		10.8
h.	Lead(as Pb)(mg/l)	IS:3025(P-66)		BLQ(LOQ:0.01)
i.	Copper(As Cu)(mg/l)	IS:3025(P-66)		Bl.Q(LOQ:0.01)
j.	Nickel(As Ni),mg/l	IS:3025(P-66)		BLQ(LOQ:0.01)
k.	Zinc(As Zn)(mg/l)	IS:3025(P-66)		BLQ(LOQ:0,01)
l.	Total Residual Chlorine(mg/l)	IS:3025(P-26)		BLQ(LOQ: 0.1)
m.	Ammonical Nitrogen(As N)(mg/l)	APHA-22nd Edition		8,8
n.	Total Kjeldahl Nitrogen (as NH3)(mg/l)	APHA-23nd Edition		24,6
0.	Free Ammonia (as NH3)(mg/l)	APHA-23nd Edition		Nil
p.	Arsenic(as As)(mg/l)	IS:3025(P-66)		BLQ(LOQ:0.01)
q.	Mercury(As Hg)(mg/l)	IS:3025(P-66)		BLQ(LOQ:0.01)
¢.	Cadmium(As Cd)(mg/l)	IS:3025(P-66)		BLQ(LOQ:0.01)
S.	Hexavalent Chromium as Cr6+(mg/l)	APHA-23rd Edition		BLQ(LOQ: 0.01)
t.	Total Chromium as Cr(mg/l)	IS:3025(P-66)		BLQ(LOQ:0.01)
u.	Selenium(as Se)(mg/l)	IS:3025(P-66)		BLQ(LOQ:0.01)
V.,	Cyanide(As CN)(mg/l)	IS:3025(P-27)		Absent
W.:	Fluoride(as F)(mg/l)	IS:3025(P-60)		0.3
х.	Dissolved Phosphate(mg/l)	APHA-23rd Edition	b	1,64
y.	Sulphide(As S)(mg/l)	IS:3025(P-9)		12
Z.	Manganese(As Mn)(mg/l)	IS:3025(P-66)		0.165
aa.	Iron(as Fe)(mg/l)	APHA-23rd Edition		0,12
ab.	Nitrate as NO <sub>3</sub> (mg/l)	IS:3025(P-34)		1.48
ac.	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH) (mg/L)	IS:3025(P-43)		BLQ(LOQ: 0.1)
ad.	Vanadium(As V)(mg/I)	IS:3025(P-66)	This Analysis Repairs	V-BHOG OO COU



## Interstellar Testing Centre Pvt. Ltd.

(Formerly International Testing Centre)

(A Government Approved Test House)
86, Industrial Area, Phase-I, Panchkula-134109 (Haryana).

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



#### **Test Report**

Document QF: 2501

Page 3 of 3

Issued To GVK Power (Goindwal Sahib) Ltd. 4 Goindwal Sahib-Kapurthala Road, VPO Goin Khadur Sahib, Tarn Taran	Report No. :E01-1805210 Sample Reg. Date :21-05-2018 Report Date :08-06-2018 Customer Ref. No.:- Letter Dated :-	0642
ac. Bio Assay Test	IS:6582-1971	Not Applicable

NOTE: NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantification, Purpose: For self monitoring

PART D: REMARKS: N/A

Saurabh Sharma
08-06-2018
Reviewer

Reviewer
\*\*\*\*\*End Of Report\*\*\*\*\*

This Analysis Respect is not Valid Fer consent Purpose of the Board

> Prem Kumar [Tech Manager]



# Interstellar Testing Centre Pvt. Ltd. (Formerly International Testing Centre)

(A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana).

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



#### Test Report

Document QF: 2501

Page 1 of 3

Goine	Power (Goindwal Sahib) Ltd. 3 Iwal Sahib-Kapurthala Road, VPO Goindwal Sahib, Tehsil: ur Sahib,	Report No. :E01-1805210643  Sample Reg. Date :21-05-2018  Report Date :08-06-2018  Customer Ref. No.:- Letter Dated :-	
Test I	Report as per IS:EPA Act 1986/PCLS/2010	With Amendment No.(s);	3.146
PAR'	A: PARTICULARS OF SAMPLE SUBMITTED	huhate Parameter and	The second
a))	Nature of Sample	STP Outlet Water	TILLY-
b)	Grade / Variety / Type / Class / Size etc.	NA	
c)	Brand Name	NA	U 3
d)	Declared Values, if any	NA	
e)	Code No.	US THE CONTROL OF HOME OF THE CONTROL OF THE CONTRO	
f)	Batch Number	NA	
g)	D.O.M	NA	æ
h)	Date of Expiry	NA NA	
i)	Sample Quantity	10 Ltr	
j)	Batch Size/Location	NA	
k)	Mode of Packing	Packed in cans	0,11
1)	Date of Receipt	21-05-2018	100
m)	Date of Start	21-05-2018	7
n)	Date of Completion	08-06-2018	
0)	Seal (Intact/Not Intact/Unsealed)	Unsealed	
p)	IO'S Signature (Signed/Unsigned)	Unsigned	
q)	Any Other Information	Sample description: One sample of STP Outlet wate collected by lab rep. on 18.05.2018	r was
г)	Test Request Submitted By	GVK Power (Goindwal Sahib) LtdTarn Taran ( Pur	ijab )
s)	Manufactured By	NA	
t)	Supplied By	NA	
PAR'	B: SUPPLIMENTARY INFORMATIONS		
a b	Reference to sampling procedure, whenever applicable  Supporting documents for the measurement taken and results of photographs as appropriate to test reports, if any	: N/A rived like graphs, tables, sketches and / : N/A	
C	Deviation from the test methods as prescribed in relevant ISS/	ORK Instruments, if any	tha Rox



# Interstellar Testing Centre Pvt. Ltd. (Formerly International Testing Centre)

(A Government Approved Test House) -- 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana) .

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



#### Test Report

Document QF: 2501

Page 2 of 3

Issued To

GVK Power (Goindwal Sahib) Ltd. 2

Goindwal Sahib-Kapurthala Road, VPO Goindwal Sahib, Tehsil:

Khadur Sahib,

Tarn Taran

Report No.

:E01-1805210643

Sample Reg. Date :21-05-2018

Report Date

:08-06-2018

Customer Ref. No.:-Letter Dated

PART C : TEST RE		)
------------------	--	---

No.	Test Parameter	Method	Requirement	Result
Cest 1	Details :			
1,	Description			
a.	Description	One Sample of STP Outlet	Water was collected by lab rep. on 18.05.2018	
2.	General Parameters	IS:3025(Part4):1983(RA:2017	1	1-0-0
a.	Colour	amd, no l		Colourless
b.	Odour	IS:3025(Part 5):1983(RA:2017)		None
C.	pH Value	IS:3025 (Part - 11):1983(RA 2017)	5,5-9	7.52
d,	Total Suspended Solids(mg/l)	IS:3025(Part 17)	Max. 100	26
e.	Chemical Oxygen Demand(mg/l)	APHA-23rd Edition	Max. 250	39.6
f.	Bio-chemical Oxygen Demand(mg/l)(3 days at 27°C)	(S:3025(P-44)	Max, 30	14
g.	Oil & Grease(mg/l)	IS:3025(P-39)	Max. 10	0.6
h.	Lead(as Pb)(mg/l)	IS:3025(P-66)	Max 0.1	BLQ(LOQ:0.01)
î.	Copper(As Cu)(mg/l)	IS:3025(P-66)	Max_3.0	BLQ(LOQ:0.01)
j.	Nickel(As Ni),mg/l	IS:3025(P-66)	Max. 3.0	BLQ(LOQ:0.01)
k.	Zinc(As Za)(mg/l)	IS:3025(P-66)	Mox. 5.0	BLQ(LOQ:0.01)
1.	Total Residual Chlorine(mg/l)	IS:3025(P-26)	Max. 1.0	BLQ(LOQ: 0.1)
m.	Ammonical Nitrogen(As N)(mg/l)	APHA-22nd Edition	Max. 50	0.2
n.	Total Kjeldahl Nitrogen (as NH3)(mg/l)	APHA-23nd Edition	Max, 100	9.4
0.	Free Ammonia (as NH3)(mg/l)	APHA-23nd Edition	Max. 5.0	Nil
p.	Arsenic(as As)(mg/l)	IS:3025(P-66)	Max. 0.2	0.012
q.	Mercury(As Hg)(mg/I)	IS:3025(P-66)	Max 0.01	BLQ(LOQ:0.01)
T.	Cadmium(As Cd)(mg/l)	1S:3025(P-66)	Max 2.0	BLQ(LOQ:0.01)
s,	Hexavalent Chromium as Cr <sup>6+</sup> (mg/l)	APHA-23rd Edition	Max. 0.1	BLQ(LOQ: 0.01)
1.	Total Chromium as Cr(mg/l)	IS:3025(P-66)	Max. 2 0	BLQ(LOQ:0.01)
u.	Selenium(as Se)(mg/l)	IS:3025(P-66)	Max. 0.05	BLQ(LOQ:0.01)
V.	Cyanide(As CN)(mg/l)	IS:3025(P-27)	Max. 0.2	Absent
w.	Fluoride(as F)(mg/l)	IS:3025(P-60)	Max. 2.0	0.1
х.	Dissolved Phosphate(mg/l)	APHA-23rd Edition	Max. 5.0	0.22
y.	Sulphide(As S)(mg/l)	IS:3025(P-9)	Max 2.0	BLQ(LOQ: 0.5)
Z,	Manganese(As Mn)(ing/l)	IS:3025(P-66)	Max. 2	0,032
aa,	Iron(as Fe)(mg/l)	APHA-23rd Edition	Max. 3.0	BLQ(LOQ: 0,01
ab.	Nitrate as NO <sub>3</sub> (mg/l)	IS:3025(P-34)	Max 10	1.2
nc.	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH) (mg/L)	1\$:3025(P-43)	Max, L.0 This Analysis Report is	BLO(LOQ: 0.1)
ad.	Vanadium(As V)(mg/l)	IS:3025(P-66)	For ownsent Purpose of	The second secon



## Interstellar Testing Centre Pvt. Ltd.

(Formerly International Testing Centre)

(A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana),

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



Document QF: 2501

**Test Report** 

Page 3 of 3

Issued To

GVK Power (Goindwal Sahib) Ltd.4

Goindwal Sahib-Kapurthala Road, VPO Goindwal Sahib, Tehsil;

Khadur Sahib,

Tarn Taran

ae.

Report No.

:E01-1805210643

:08-06-2018

Minimum 90 % survival of fish was observed

after 96 hours in 100 % effluent

Sample Reg. Date :21-05-2018

Report Date

Customer Ref. No .:-

Letter Dated

90% Survival of Fishes were observed in 100% Effluent Water after 96 hours.

NOTE: NA-Not Applicable, BLQ-Below limit of Quantification, LOQ-Limit of Quantification, Requirement as per EPA Act 1986/PCLS/2010 (Applicable for discharge in to surface water), Purpose - For self monitoring

IS:6582-1971

PART D: REMARKS: N/A

Bio Assay Test

Saurabh Sharma 08-06-2018

Reviewer \*\*\*\*\*End Of Report\*\*\*\* This Analysis Report is not Valid Fer consent Purpose of the Board

> 08-06-2018 Prem Kumar [Tech Manager]

esel on

.

31

JOHN HOLES

10000

.....

STRANGT II DOM

Married !

in and

Processor

----



## Interstellar Testing Centre Pvt. Ltd.

(Formerly International Testing Centre)

(A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



#### **TEST REPORT**

Document QF: 2501

1 of 2

Reg. No: R-19-12-16

ISSUED TO: M/s GVK Power (Goindwal Sahib) Ltd.

Goindwal Sahib-Kapurthala Road,

VPO Goindwal Sahib, Tehsil: Khadur Sahib,

Taran Taran-143422 (Punjab)

Report No.

Report is valid for consent purpor

: W-19D64717

Dated

: 28.12.2017

Party Ref.

: PO No.2200002023

Dated

: 01.08.2017

Sample description: One sample of STP Outlet water was collected by lab rep. on 14.12.2017

Purpose: For consent purpose (PPCB)

-	The second	-		 -
				 11/11/11/01
-			C 21 7	 LTS
	Acres to the second		W. H	

LEST RESULTS					
Sr. No.	Parameters	Method	*Standard	Result	
1	Colour	IS: 3025 (P-4)		Colourless	
2	Odour	IS: 3025 (P-5)		Mild	
3	pH value	IS: 3025 (P-11)	5.5 - 9.0	8.10	
4	Total Suspended Solids (mg/l)	IS: 3025 (P-17)	100 max.	29	
5	Chemical Oxygen Demand (mg/l)	APHA- 23rd Edition	250 max.	63	
6	Biochemical Oxygen Demand (3 days at 27°C) (mg/l)	IS: 3025 (P-44)	30 max.	20	
7	Oil & Grease (mg/l)	IS: 3025 (P-39)	10 max.	< 0.1	
8	Total Residual Chlorine (mg/l)	IS: 3025 (P-26)	1.0 max.	< 0.1	
9	Ammonical Nitrogen as N (mg/l)	APHA- 23rd Edition	50 max.	2.2	
10	Total Kjeldahl Nitrogen (TKN) as NH <sub>3</sub> (mg/l)	APHA- 23rd Edition	100 max.	14.6	
11	Free Ammonia (mg/l)	APHA- 23rd Edition	5.0 max.	Nil	
12	Arsenic as As (mg/l)	IS: 3025 (P-65)	0.2 max.	ND (0.01)	
13	Mercury as Hg (mg/l)	IS: 3025 (P-65)	0.01 max.	ND (0.01)	
14	Lead as Pb (mg/l)	IS: 3025 (P-65)	0.1 max.	ND (0.01)	
15	Cadmium as Cd (mg/l)	IS: 3025 (P-65)	2.0 max.	ND (0.01)	
16	Hexavalent Chromium as Cr <sup>6+</sup> (mg/l)	APHA- 23rd Edition	0.1 max.	ND (0.01)	

DOS: 19 12 2017 DOC: 28 12,2017

> Prem Kumar Tech, Manager (Env.)

NOTE: 1. The results listed refer only to tested sample and applicable parameters.

This certificate is not to be reproduced wholly or in parts promotional publicity or legal purpose without permission of authority of Testing Centre.

3. The samples will be destroyed after fifteen days from the date of issue of test certificate unless otherwise agreed with the customer



# Interstellar Testing Centre Pvt. Ltd. (Formerly International Testing Centre)

(A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



Page · 2 of 2

I ugo	۰	2 01 2
Dated	:	28.12.2017

Continuation Sheet of Report No.: W-19D64717			Page Dated	: 2 01 2 : 28.12.2017
17	Total Chromium as Cr (mg/l)	APHA- 23rd Edition	2.0 max.	ND (0.01)
18	Copper as Cu (mg/l)	IS: 3025 (P-65)	3.0 max.	ND (0.01)
19	Zinc as Zn (mg/l)	IS: 3025 (P-65)	5.0 max.	ND (0.01)
20	Selenium as Se (mg/l)	IS: 3025 (P-65)	0.05 max.	ND (0.01)
21	Nickel as Ni (mg/l)	Anx. L of IS: 13428	3.0 max.	ND (0.01)
22	Cyanide as CN (mg/l)	IS: 3025 (P-27)	0.2 max.	Absent
23	Fluoride as F (mg/l)	IS: 3025 (P-60)	2.0 max.	0.3
24	Dissolved Phosphate (mg/l)	APHA- 23rd Edition	5.0 max.	0.53
25	Sulphide as S (mg/l)	IS: 3025 (P-29)	2.0 max.	< 0.5
26	Phenolic Compounds as C <sub>6</sub> H <sub>5</sub> OH (mg/l)	IS: 3025 (P-43)	1.0 max.	ND (0.1)
27	Manganese as Mn (mg/l)	IS: 3025 (P-65)	2 max.	0.0322
28	Iron as Fe (mg/l)	APHA- 23rd Edition	3.0 max.	0.0628
29	Nitrate Nitrogen as NO <sub>3</sub> (mg/l)	IS: 3025 (P-34)	10 max.	1.0
30	Vanadium as V (mg/l)	IS: 3025 (P-65)	0.2 max.	ND (0.01)
31	Bio Assay Test	IS: 6582-1971	Minium 90% survival of fish	90% survival of fish was
1.05	18: 3025 (P-29)   Dimms   12 mms   Summs   12 mms   12 mm	(Nymremmile (Nymremmile (Nymr) Kan ung	after 96 hours in 100% effluent	observed after 96 hours in 100% effluent

ND: Not Detectable, figures in brackets indicate method detection limit.

\*EPA-1986, PCLS/02/2010

- End of Report -

Report is valid for consent purposes

Prem Kumar Tech. Manager (Env.)

NOTE: 1. The results listed refer only to tested sample and applicable parameters.

2. This certificate is not to be reproduced wholly or in parts promotional publicity or legal purpose without permission of authority of Testing Centre.

3. The samples will be destroyed after fifteen days from the date of issue of test certificate unless otherwise agreed with the customer.



Interstellar Testing Centre Pvt. Ltd.

(Formerly International Testing Centre)

(A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



#### TEST REPORT

Document QF: 2501

l of 2

Reg. No: R-19-12-17

ISSUED TO: M/s GVK Power (Goindwal Sahib) Ltd.

Goindwal Sahib-Kapurthala Road,

VPO Goindwal Sahib, Tehsil: Khadur Sahib,

Taran Taran-143422 (Punjab)

Report No. Dated

: W-19D68717 : 28.12.2017

Party Ref.

: PO No.2200002023

Dated

Report is valid for consent purposes.

: 01.08.2017

Sample description: One sample of STP Inlet water was collected by lab rep. on 14.12.2017 Purpose: For consent purpose (PPCB)

TEST RESILLTS

Sr. No.	Parameters	Method	Result
1	Colour	IS: 3025 (P-4)	Blackish
2	Odour	IS: 3025 (P-5)	Musty
3	pH value	IS: 3025 (P-11)	7.97
4	Total Suspended Solids (mg/l)	IS: 3025 (P-17)	158
- 5	Chemical Oxygen Demand (mg/l)	APHA- 23rd Edition	216
6	Biochemical Oxygen Demand (3 days at 27°C) (mg/l)	IS: 3025 (P-44)	83
7	Oil & Grease (mg/l)	IS: 3025 (P-39)	11.4
8	Total Residual Chlorine (mg/l)	IS: 3025 (P-26)	< 0.1
9	Ammonical Nitrogen as N (mg/l)	APHA- 23rd Edition	6.5
10	Total Kjeldahl Nitrogen (TKN) as NH <sub>3</sub> (mg/l)	APHA- 23rd Edition	43.7
11	Free Ammonia (mg/l)	APHA- 23rd Edition	Nil
12	Arsenic as As (mg/l)	IS: 3025 (P-65)	0.0134
13	Mercury as Hg (mg/l)	IS: 3025 (P-65)	ND (0.01)
14	Lead as Pb (mg/l)	IS: 3025 (P-65)	ND (0.01)
15	Cadmium as Cd (mg/l)	IS: 3025 (P-65)	ND (0.01)
16	Hexavalent Chromium as Cr <sup>6+</sup> (mg/l)	APHA- 23rd Edition	ND (0.01)

DOC: 28.12,2017

Prem Kumar Tech. Manager (Env.)

NOTE: 1. The results listed refer only to tested sample and applicable parameters.

2. This certificate is not to be reproduced wholly or in parts promotional publicity or legal purpose without permission of authority of Testing Centre.

3. The samples will be destroyed after fifteen days from the date of issue of test certificate unless otherwise agreed with the customer



# Interstellar Testing Centre Pvt. Ltd. (Formerly International Testing Centre)

(A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



: 2 of 2

Continuation	on Sheet of Report No.: W-19D68717	Date	Dated: 28.12.2017	
17	Total Chromium as Cr (mg/l)	APHA- 23rd Edition	0.0702	
18	Copper as Cu (mg/l)	IS: 3025 (P-65)	ND (0.01)	
19	Zinc as Zn (mg/l)	IS: 3025 (P-65)	ND (0.01)	
20	Selenium as Se (mg/l)	IS: 3025 (P-65)	0.0126	
21	Nickel as Ni (mg/l)	Anx. L of IS: 13428	0.0424	
22	Cyanide as CN (mg/l)	IS: 3025 (P-27)	Absent	
23	Fluoride as F (mg/l)	IS: 3025 (P-60)	0.4	
24	Dissolved Phosphate (mg/l)	APHA- 23rd Edition	0.9	
25	Sulphide as S (mg/l)	IS: 3025 (P-29)	5.8	
26	Phenolic Compounds as C <sub>6</sub> H <sub>5</sub> OH (mg/l)	IS: 3025 (P-43)	ND (0.1)	
27	Manganese as Mn (mg/l)	IS: 3025 (P-65)	0.1486	
28	Iron as Fe (mg/l)	APHA- 23rd Edition	0.0887	
29	Nitrate Nitrogen as NO <sub>3</sub> (mg/l)	IS: 3025 (P-34)	1.8	
30	Vanadium as V (mg/l)	IS: 3025 (P-65)	ND (0.01)	
31	Bio Assay Test	IS: 6582-1971	NA	

ND: Not Detectable, figures in brackets indicate method detection limit.

- End of Report -


Report is valid for consent purposes

Prem Kumar Tech. Manager (Env.)

NOTE: 1. The results listed refer only to tested sample and applicable parameters.

2. This certificate is not to be reproduced wholly or in parts promotional publicity or legal purpose without permission of authority of Testing Centre.

3. The samples will be destroyed after fifteen days from the date of issue of test certificate unless otherwise agreed with the customer



ANNEXURE-II Stack emission & Ambient Air Quality Monitoring Report



# Interstellar Testing Centre Pvt. Ltd. (Formerly International Testing Centre)

(A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana).

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



Test Report

Document QF: 2501

Page 1 of 2

Issued To	Report No. :E01-1805210650	0.1
GVK Power (Goindwal Sahib) Ltd.	Sample Reg. Date :21-05-2018	
Goindwal Sahib-Kapurthala Road, VPO Goindwal Sahib, Tehsil:	Report Date :24-05-2018	
Khadur Sahib,	Customer Ref. No.:	
Tarn Taran	Letter Dated :	

tarn taran	Letter Dated :	
General Information		
Name of the emission source monitored	: Stack Emission of Boiler	
(a) Rated Capacity	; 865 ton/hr	
(b) Capacity on sampling day	; -do-	
(c) Type of fuel used & its consumption	: Coal & 133 ton/hr	
(d) Normal operating schedule	; 24 hrs	
2. Stack Identification	: Stack attached to Boiler (Unit-I)	
3.Type of Stack/Duct	; Metal	
4.Stack Height from Ground Level(m)	: 275	
(5) Diameter of the Stack(cm)	-, 480	,,
(6) Sampling Duration(minutes)	;36	
Purpose of Monitoring	: For Consent Purpose (PPCB)	
(8) Air Pollution control measure	ESPs	
(a) Status	Working Report is valid for consent purpos	05
(b) Recovery of Material		
(9) Fugitive Emission, if any	; Nil	
Observations		
Flue Gas Temperature, °C,Avg.	₹132	
Flue Gas Velocity(m/s),Avg.	: 19.78	
Volumetric Flow Rate(Nm <sup>3</sup> /hr.)	; 922699.51	
'Ambient Air Temperature, °C	: 39	

#### TEST RESULTS

S.No.	Test Parameter	Method	Réquirement	Result
Test l	Details:			•
1.	General Parameters			
а.	Particulate Matter,mg/Nm3(Corrected at 12 % CO2)	IS:11255(P-1)	Max 100	43
b.	Sulphur Dioxide(SO <sub>2</sub> ),mg/Nm3	IS:11255(P-2)	Max 600	492
C.	Oxides of Nitrogen(NO2), mg/Nm3	IS:11255(P-7)	Max 300	252
d.	.Mercury(As Hg),mg/Nm3	USEPA Method	Max 0 03	BLQ(LOQ:001)

NOTE: NA- Not Applicable, BLQ- Below limit of quantification, LOQ- Limit of Quantification, Requirement as per EPA Act 1986/PCLS/2010 (S. O. 3305 CE), dated: 07.12.2015 with Corrigendum dated: 07.03.2016, Sample collected by lab rep., on DOS: 16.05.18

PART D: REMARKS: N/A





# Interstellar Testing Centre Pvt. Ltd.

(Formerly International Testing Centre)

(A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana),

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



Test Report

Document QF: 2501 Page 2 of 2

Issued To

GVK Power (Goindwal Sahib) Ltd.

Goindwal Sahib-Kapurthala Road, VPO Goindwal Sahib, Tehsil:

Khadur Sahib,

Tarn Taran

Note:

Report No.

:E01-1805210650

Sample Reg. Date :21-05-2018

Report Date :24-05-2018

Customer Ref. No.:

Letter Dated

Gaurav Goyal 24-05-2018 Reviewer \*\*\*\*\*End Of Report\*\*\*\*\* was a sall or on sall present

24-05-2018

Prem Kumar [Tech Manager]



#### (A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana),

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



#### **Test Report**

Document QF: 2501 Page 1 of 2

Issued To	Report No.	:E01-1805210651	
GVK Power (Goindwal Sahib) Ltd.	Sample Reg. Date	:21-05-2018	
Goindwal Sahib-Kapurthala Road, VPO Goindwal Sahib, Tehsil:	Report Date	:24-05-2018	
Khadur Sahib,	Customer Ref. No	h.:	
Tarn Taran	Letter Dated	1	

1 401 (1 1 407 401)	Letter Dated		
General Information			
Name of the emission source monitored	: Stack Emissic	on of Boiler	
(a) Rated Capacity	: 365 ton/hr	*	
(b) Capacity on sampling day	;-do-		
(c) Type of fuel used & its consumption	; Coal & 133 to	en/hr	
(d) Normal operating schedule	: 24 hrs		
2. Stack Identification	; Stack attached	to Boiler (Unit-II)	
3. Type of Stack/Duct	; Metal		
4.Stack Height from Ground Level(m)	÷ 275		
(5) Diameter of the Stack(cm)	÷480		
(6) Sampling Duration(minutes)	: 35		
Purpose of Monitoring	For Consent F	Purpose (PPCB)	
(8) Air Pollution control measure	: ESPs		
(a) Status	: Working	Report is valid for control purposes	
(b) Recovery of Material	i-	510101010	
(9) Fugitive Emission, if any	;Nil	a.	
Observations			
Flue Gas Temperature, °C,Avg.	: 128		
Flue Gas Velocity(m/s), Avg.	‡20.70		
Volumetric Flow Rate(Nm <sup>3</sup> /hr.)	975247.83		
Ambient Air Temperature, °C	:39		

#### TEST RESULTS

S.No.	Test Parameter	Method	Requirement	Result
Test l	Details :			
1.	General Parameters			
а.	Particulate Matter,mg/Nm3(Corrected at 12 % CO2)	IS:11255(P-1)	Max, 100	46
b.	Sulphur Dioxide(SO <sub>2</sub> ),mg/Nm3	IS:11255(P-2)	Max, 600	457
c.	Oxides of Nitrogen(NO2), mg/Nm3	IS:11255(P-7)	Max, 300	215
d.	Mercury(As Hg),mg/Nm3	USEPA Method	Max 0.03	BLQ(LOQ:0:01)

NOTE: NA- Not Applicable, BLQ- Below limit of quantification, LOQ- Limit of Quantification, Requirement as per EPA Act 1986/PCLS/2010 (S. O. 3305 CE), dated: 07.12.2015 with Corrigendum dated: 07.03.2016, Sample collected by lab rep., on DOS: 16.05.18

PART D: REMARKS: N/A

Notes





(A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



Test Report

Document QF: 2501 Page 2 of 2

Issued To

GVK Power (Goindwal Sahib) Ltd.

Goindwal Sahib-Kapurthala Road, VPO Goindwal Sahib, Tehsil:

Khadur Sahib.

Tarn Taran

Nance

Report No.

:E01-1805210651

Sample Reg. Date :21-05-2018

Report Date :24-05-2018

Customer Ref. No.: Letter Dated

Gaurav Goyal 24-05-2018

Reviewer \*\*\*\*\*End Of Report\*\*\*\*

Report is valid for consont

24-05-2018 Prem Kumar [Tech Manager]



(A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com

150 Max



#### Test Report

Document QF: 2501 Page 1 of 1

S.No. Test Parameter Method		Requirement	Result
TEST RESULTS			Zilmaen re
Ambient Air Temperature, °C	:38		
Volumetrie Flow Rate(Nm3/hr.)	:7847.07		
Flue Gas Velocity(m/s),Avg.	;11.41		
Flue Gas Temperature, °C,Avg.	<b>‡42</b>		
Observations		Katorek,	
(9) Fugitive Emission, if any	1Nil	Report is valid for cons	out backson.
(b) Recovery of Material	9 ·		
(a) Status	: Working	,	
(8) Air Pollution control measure		llowed by Bag Filter	
Purpose of Monitoring		t Purpose (PPCB)	
6) Sampling Duration(minutes)	: 47		
(5) Diameter of the Stack(cm)	:51.4		
4.Stack Height from Ground Level(m)	t 61		
3.Type of Stack/Duct	: Metal	ned to Bag Filter Bunker House	e (Unit-1)
2. Stack Identification	: As Required		28 8 8 8 B
(c) Type of fuel used & its consumption (d) Normal operating schedule	Electricity	the second second	
(b) Capacity on sampling day	:-do-		
(a) Rated Capacity	: 10200 m3/h	17'	
Name of the emission source monitored	Process Sta	at a	
General Information			and the said
Tarn Taran	Letter Date	d :	
Khadur Sahib,	Customer B		
GVK Power (Goindwal Sahib) Ltd. Goindwal Sahib-Kapurthala Road, ∜PO Goindwal Sahib, Tehsil:	Report Date		
Issued To	Report No.	:E01-1805210652 g. Date :21-05-2018	

NOTE: NA-Not Applicable, Requirement as per EPA Act 1986/PCLS/2010, Sample collected by Lab rep. on 17.05.2018

IS.11255(P-1)

PART D: REMARKS: N/A

General Parameters

Particulate Matter, mg/Nm3

1.

a

Gaurav Goyal 23-05-2018 Reviewer

\*\*\*\*\*End Of Report\*\*\*\*

23-05-2018 Prem Kumar [Tech Manager]



Issued To

## Interstellar Testing Centre Pvt. Ltd. (Formerly International Testing Centre)

(A Government Approved Test House)

86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com

Report No.

:E01-1805210653

150 Max



#### Test Report

Document OF: 2501 Page 1 of 1

GVK Power (Goindwal Sahib) Ltd. h Goindwal Sahib-Kapurthala Road, VPO Goindwal Sahib, Tehsil: Khadur Sahib,	* Sample Reg. Date :21-05-2018 Report Date :23-05-2018 Customer Ref. No.:
Tarn Taran	Letter Dated :
General Information	and the state of t
Name of the emission source monitored	↑ Process Stack
(a) Rated Capacity	; 10200 m3/hr
(b) Capacity on sampling day	:-do-
(c) Type of fuel used & its consumption	: Electricity
(d) Normal operating schedule	â As Required
2. Stack Identification	: Stack attached to Bag Filter Bunker House (Unit-II)
3.Type of Stack/Duct	: Metal
4.Stack Height from Ground Level(m)	ş <sup>6</sup> 1
(5) Diameter of the Stack(cm)	<sub>1</sub> 51.4
(6) Sampling Duration(minutes)	\$45
Purpose of Monitoring	For Consent Purpose (PPCB)
(8) Air Pollution control measure	Cyclone Followed by Bag Filter
(a) Status	Working
(b) Recovery of Material	: Working :- :Nil
(9) Fugitive Emission, if any	
Observations	MULTI-15
Flue Gas Temperature, °C,Avg.	244
Flue Gas Velocity(m/s), Avg.	;12.32
Volumetric Flow Rate(Nm <sup>3</sup> /hr.)	: 8419.46
Ambient Air Temperature, °C	:39
TEST RESULTS	SKIUKISTY
S.No. Test Parameter Method	od Requirement Result

NOTE: NA- Not Applicable, Requirement as per EPA Act 1986/PCLS/2010, Sample collected by Lab rep. on 17.05.2018

IS:11255(P-1)

PART D: REMARKS: N/A

General Parameters

Particulate Matter, mg/Nm3

Test Details:

Gaurav Goyal 23-05-2018

Reviewer \*\*End Of Report\*\*\*\*

23-05-2018 Prem Kumar

[Tech Manager]



(Formerly International Testing Centre)

(A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana),

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



#### Test Report

Document QF: 2501 Page 1 of 1

Issued To	To the second	Report No. :E01-18052	10654
GVK Power (Goindwal Sahib) Ltd.	The state of the latest the state of the sta	Sample Reg. Date :21-05-2018	
Goindwal Sahib-Kapurthala Road, VPO Going	Iwal Sahib, Tehsil:	Report Date :23-05-2018	
Khadur Sahib,		Customer Ref. No.:	A STATE OF THE PARTY OF THE PAR
Tarn Taran		Letter Dated :	
General Information	""		
Name of the emission source monitored		Process Stack	The second secon
(a) Rated Capacity		39000 m3/hr	
(b) Capacity on sampling day		(-do-	
(e) Type of fuel used & its consumption		Electricity	
(d) Normal operating schedule		As Required	
2. Stack Identification		:Stack attched to Dust Extraction	System (Crusher House)
3.Type of Stack/Duct		: Metal	
4.Stack Height from Ground Level(m)		: 40.9	
(5) Diameter of the Stack(cm)		: 127.5	
(6) Sampling Duration(minutes)		: 55	
Purpose of Monitoring		For Consent Purpose (PPCB)	
(8) Air Pollution control measure		:Cyclone & Bag Filter	
(a) Status		: Working	4
(b) Recovery of Material		i-	d for consent purposes
(9) Fugitive Emission, if any		ENII WATER VALLE	
Observations			der Harrison H.
Flue Gas Temperature, °C,Avg.		: 45	
Flue Gas Velocity(m/s),Avg.		:9.92	
Volumetric Flow Rate(Nm3/hr.)		:41582.58	A STATE OF THE REAL PROPERTY.
Ambient Air Temperature, °C		:39	
TEST RESULTS			TEN MEN TEN
S.No. Test Parameter	Method	Requirement	Result
Test Details:			1 distalland
1. General Parameters			The second secon
	T .		

NOTE: NA- Not Applicable, Requirement as per EPA Act 1986/PCLS/2010, Sample collected by Lab rep. on 17.05.2018

IS:11255(P-1)

PART D: REMARKS: N/A

Particulate Matter, mg/Nm3

Gaurav Goyal 23-05-2018

Reviewer
\*\*\*\*End Of Report\*\*\*\*

23-05-2018 Prem Kumar [Tech Manager]

150 Max.

a.



(Formerly International Testing Centre)

#### (A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana).

Phone: (O) 0172-2561543, 2565825

-DOI 1905010655

150 Max



#### Test Report

Document QF: 2501 Page 1 of 1

Issued To			805210655
GVK Power (Goindwal Sahib) Ltd.,	HELD SHEET HELD	Sample Reg. Date :21-05-	
Goindwal Sahib-Kapurthala Road, VPO Goindwa	al Sahib, Tehsil:	Report Date :23-05-	-2018
Khadur Sahib, Tarn Taran		Customer Ref. No.: Letter Dated :	
ISLU TRIBU		Letter Dated :	
General Information			
Name of the emission source monitored		: Process Stack	
(a) Rated Capacity		: 25200 m3/hr	
(b) Capacity on sampling day		;-do-	
(c) Type of fuel used & its consumption		: Electricity	
(d) Normal operating schedule		: As Required	Marine Ma
2. Stack Identification		: Stack attached to Bag Filt	er (Junction Tower)
3. Type of Stack/Duct		; Metal	-0-2-36
4.Stack Height from Ground Level(m)		: 66.3	
(5) Diameter of the Stack(cm)		: 81.5	
(6) Sampling Duration(minutes)		: 45	
Purpose of Monitoring		: For Consent Purpose (PPC	CB)
(8) Air Pollution control measure		: Cyclone & Bag Filter	11 11 11 11 11 11 11 11
(a) Status		: Working	rt is valid for consent purposes
(b) Recovery of Material		:- Rops	
(9) Fugitive Emission, if any		: Nil	Tomana avinus
Observations			
Flue Gas Temperature, °C, Avg.		: 42	
Flue Gas Velocity(m/s), Avg.		: 12.36	
Volumetric Flow Rate(Nm <sup>3</sup> /hr.)		: 21371.24	
Ambient Air Temperature, °C		:39	and the second second
TEST RESULTS		L	AVAINSOLES.
S.No. Test Parameter	Method	Requiren	nent Result
Test Details :			

NOTE: NA-Not Applicable, Requirement as per EPA Act 1986/PCLS/2010, Sample collected by Lab rep. on 17.05.2018.

IS:11255(P-1)

PART D: REMARKS: N/A

General Parameters

Particulate Matter, mg/Nm3

23-05-2018

Reviewer \*\*\*\*\*End Of Report\*\*\*\*

23-05-2018 Prem Kumar [Tech Manager]

1.



(Formerly International Testing Centre)

(A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



#### TEST REPORT

Document OF: 2501 Reg. No: R-19-12-16

ISSUED TO: M/s GVK Power (Goindwal Sahib) Ltd.

Goindwal Sahib-Kapurthala Road,

VPO Goindwal Sahib, Tehsil: Khadur Sahib,

Taran Taran-143422 (Puniab)

Report No. Dated

Report is valid for consent purposes

: W-19D65617

Party Ref.

: 25.12.2017

Dated

: PO No.2200002023 : 01.08.2017

Description of Sample: One sample of stack emission was collected by lab rep. on 11.12.2017

#### SAMPLE PARTICULARS

#### General Information (Supplied by Party)

1. Name of the emission source monitored

a. Rated Capacity

b. Capacity on sampling day

c. Type of fuel used & its consumption

d. Normal operating schedule 2. Stack Identification

3. Type of Stack / Duct

4. Stack Height from ground level (m) 5. Diameter of the Stack (cm)

6. Sampling Duration (minutes)

7. Purpose of Monitoring

8. Air Pollution control measure

a. Status b. Recovery of material

9. Fugitive Emission, if any

#### **Observations:**

1. Flue Gas Temperature, <sup>0</sup>C, Avg. 2. Flue Gas Velocity (m/s), Avg.

3. Volumetric Flow Rate (Nm<sup>3</sup>/hr.)

4. Ambient Air Temperature, <sup>0</sup>C

: Process Stack

 $: 10200 \text{ m}^3/\text{hr}$ 

: -do-

: Electricity

: As per requirement

: Stack attached to Bag Filter Bunker House (Unit-I)

: Metal

: 61 : 51.4

: For consent purpose (PPCB) : Cyclone followed by bag filter

: Working

: Nil

### : 14

: 11.69

: 8823.97

2 11 managi sayi

		Test Results		
S. No.	Parameters	Method	*Standards	Result
1	Particulate Matter, mg/Nm3	IS: 11255 (P-1)	150 Max.	54

\* EPA-1986, PCLS/02/2010 (General Emission Standard.)

DOS: 19 12 2017 DOC: 25.12 2017

- End of Report -



Prem Kumar Tech. Manager (Env.)

NOTE: 1. The results listed refer only to tested sample and applicable parameters.

2. This certificate is not to be reproduced wholly or in parts promotional publicity or legal purpose without permission of authority of Testing Centre,



(Formerly International Testing Centre)

(A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



ISC 9001 - 2008 8 14001-2018

#### TEST REPORT

Document OF: 2501 Reg. No: R-19-12-16

ISSUED TO: M/s GVK Power (Goindwal Sahib) Ltd.

Goindwal Sahib-Kapurthala Road.

VPO Goindwal Sahib, Tehsil: Khadur Sahib,

Taran Taran-143422 (Punjab)

Report No. : W-19D65817

Dated : 25.12.2017 Party Ref. PO No.2200002023

Dated : 01.08.2017

Description of Sample: One sample of stack emission was collected by lab rep. on 11.12.2017

#### SAMPLE PARTICULARS

#### General Information (Supplied by Party)

1. Name of the emission source monitored

a. Rated Capacity

b. Capacity on sampling day

c. Type of fuel used & its consumption

d. Normal operating schedule 2. Stack Identification

3. Type of Stack / Duct

4. Stack Height from ground level (m)

5. Diameter of the Stack (cm) 6. Sampling Duration (minutes)

7. Purpose of Monitoring

8. Air Pollution control measure

a. Status b. Recovery of material

9. Fugitive Emission, if any

#### **Observations:**

1. Flue Gas Temperature, <sup>0</sup>C, Avg. 2. Flue Gas Velocity (m/s), Avg.

3. Volumetric Flow Rate (Nm<sup>3</sup>/hr.)

: Process Stack

 $: 39000 \text{ m}^3/\text{hr}$ 

: -do-

: Electricity

: As per requirement

: Stack attached to Dust Extraction System (Crusher House)

: Metal : 40.9

: 127.5

: 67

: For consent purpose (PPCB)

: Cyclone & Bag filter

: Working

Reger's volid for consent ourposes

: Nil

: 14

: 7.64

4. Amb	eient Air Temperature, °C	: 9		
		Test Results		
S. No.	Parameters	Method	*Standards	Resul
1	Particulate Matter, mg/Nm3	IS: 11255 (P-1)	150 Max.	66

: 35763.33

\* EPA-1986, PCLS/02/2010 (General Emission Standard.) DOS: 19 12 2017

DOC: 25 12.2017

- End of Report -



Prem Kumar Tech. Manager (Env.)

NOTE: 1. The results listed refer only to tested sample and applicable parameters.

2. This certificate is not to be reproduced wholly or in parts promotional publicity or legal purpose without permission of authority of Testing Centre.



(A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



ISO 8901 : 2008 & 14001:2015 OHSAS 18001:2007 Carrifled Laboratory

#### TEST REPORT

Document OF: 2501 Rea No. R-19-12-16

Æ				Keg. No: K-19-12-16
	ISSUED TO:	M/s GVK Power (Goindwal Sahib) Ltd.	Report No.	: W-19D65917
		Goindwal Sahib-Kapurthala Road,	Dated	25.12.2017
		VPO Goindwal Sahib, Tehsil: Khadur Sahib,	Party Ref.	PO No.2200002023
L		Taran Taran-143422 (Punjab)	Dated	01 08 2017

Description of Sample: One sample of sta	ck emission	was collect	ed by lab rep. on 11.12.2017
23.5	SAMPLE PA		
General Information (Supplied by Party)		TITLE OF EA	Constrail Information Compiled by June 1
1. Name of the emission source monitored	: Process S	tack	
a. Rated Capacity	: 25200 m <sup>3</sup>	/hr	
b. Capacity on sampling day	: -do-		and the second second second second
c. Type of fuel used & its consumption	: Electricity		
d. Normal operating schedule	: As per rec		
2. Stack Identification		_	g Filter (Junction Tower)
3. Type of Stack / Duct	: Metal	пиция	STITUTE (Sufficient Tower)
4. Stack Height from ground level (m)	: 66.3		
5. Diameter of the Stack (cm)	: 81.5		
6. Sampling Duration (minutes)	: 42		
7. Purpose of Monitoring	: For conse	ent nurnos	(PPCB)
8. Air Pollution control measure	: Cyclone &		Comment formers and the Park of A. R.
a. Status	Working	Dag Intol	Report is valid for consent purposes
b. Recovery of material	` -		And the state of t
9. Fugitive Emission, if any	: Nil		
Observations:			
1. Flue Gas Temperature, <sup>0</sup> C, Avg.	: 12		
2. Flue Gas Velocity (m/s), Avg.	: 12.2		
3. Volumetric Flow Rate (Nm <sup>3</sup> /hr.)	: 23315.07		
4. Ambient Air Temperature, <sup>0</sup> C	: 10		

		Test Results		
S. No.	Parameters	Method	*Standards	Result
ı	Particulate Matter, mg/Nm <sup>3</sup>	IS: 11255 (P-1)	150 Max.	59

\* EPA-1986, PCLS/02/2010 (General Emission Standard.) DOS: 19.12.2017 DOC: 25,12,2017

- End of Report -



Prem Kumar Tech. Manager (Env.)

NOTE: 1. The results listed refer only to tested sample and applicable parameters.

2. This certificate is not to be reproduced wholly or in parts promotional publicity or legal purpose without permission of authority of Testing Centre,



(Formerly international Testing Centre)

(A Government Approved Test House) 86, Industrial Area, Phase-I, Fanchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



#### TEST REPORT

Document OF: 2501 Reg. No: R-19-12-16

ISSUED TO: M/s GVK Power (Goindwal Sahib) Ltd.

Goindwal Sahib-Kapurthala Road

VPO Goindwal Sahib, Tehsil: Khadur Sahib,

Taran Taran-143422 (Punjab)

Report No. Dated

W-19D65417

Party Ref.

25.12.2017 PO No.2200002023

Dated

01.08.2017

Description of Sample: One sample of stack emission was collected by lab rep. on 12.12.2017

#### SAMPLE PARTICULARS

#### General Information (Supplied by Party)

1. Name of the emission source monitored

a. Rated Capacity

b. Capacity on sampling day

c. Type of fuel used & its consumption

d. Normal operating schedule

2. Stack Identification

3. Type of Stack / Duct

4. Stack Height from ground level (m) 5. Diameter of the Stack (cm)

6. Sampling Duration (minutes)

7. Purpose of Monitoring

8. Air Pollution control measure

a. Status

b. Recovery of material

9. Fugitive Emission, if any

#### Observations:

1. Flue Gas Temperature, <sup>0</sup>C, Avg.

2. Flue Gas Velocity (m/s), Avg. 3. Volumetric Flow Rate (Nm<sup>3</sup>/hr.)

4. Ambient Air Temperature, <sup>0</sup>C

: Stack Emission of Roiler : 865 ton/hr

: -do-

: Coal & 133 Ton/hr

: 24 Hrs

: Stack attached to Boiler (Unit-I)

: Metal

: 275 : 480

: 37

: For consent purpose (PPCB) : ESP

: Working

: Fly Ash : Nil

: 103

: 18.27 : 917993.75

S. No.	Parameters	Method	*Standards	Result
1	Particulate Matter, mg/Nm <sup>3</sup> (Corrected at 12% CO <sub>2</sub> )	IS: 11255 (P-1)	100 Max.	42.2
2	Sulphur dioxide (SO <sub>2</sub> ), mg/Nm <sup>3</sup>	IS: 11255 (P-2)	600 Max.	582
3	Oxide of Nitrogen (NO <sub>2</sub> ), mg/Nm <sup>3</sup>	IS: 11255 (P-7)	300 Max.	288
4	Mercury as Hg, mg/Nm3	APHA Air	0.03 Max.	MD (0.01)

ND-Not Detectable, figure shown in bracket indicate method detection limit

Remark: During monitoring CO<sub>2</sub> was found to be 11.4 % v/v,

\* EPA-1986, PCLS/02/2010 (S.O.3305CE), dated: 07-12-2015 with Corrigendum dated: 07-03-2016 DOS: 19.12.2017

DOC: 25.12.2017

- End of Report -

Fech. Manager (Env.)

NOTE: 1. The results listed refer only to tested sample and applicable parameters.

2. This certificate is not to be reproduced wholly or in parts promotional publicity or legal purpose without permission of authority of Testing Centre.



(Formerly International Testing Centre)

(A Government Approved Test House) 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825

Visit us: www.itclabs.com E-mail: customersupport@itclabs.com



#### TEST REPORT

Document OF: 2501 Reg. No: R-19-12-16

ISSUED TO: M/s GVK Power (Goindwal Sahib) Ltd.

Goindwal Sahib-Kapurthala Road,

VPO Goindwal Sahib, Tehsil: Khadur Sahib,

Taran Taran-143422 (Punjab)

Report No. Dated

: W-19D65517

Party Ref.

: 25.12.2017

: PO No.2200002023

Dated

: 01.08.2017

Report is valid for consent purnages

Description of Sample: One sample of stack emission was collected by lab rep. on 12.12.2017

#### SAMPLE PARTICULARS

#### General Information (Supplied by Party)

1. Name of the emission source monitored

a. Rated Capacity

b. Capacity on sampling day

c. Type of fuel used & its consumption

d. Normal operating schedule

2. Stack Identification

3. Type of Stack / Duct

4. Stack Height from ground level (m)

5. Diameter of the Stack (cm) 6. Sampling Duration (minutes)

7. Purpose of Monitoring

8. Air Pollution control measure

a. Status

b. Recovery of material 9. Fugitive Emission, if any

Observations:

1. Flue Gas Temperature, <sup>0</sup>C, Avg.

2. Flue Gas Velocity (m/s), Avg. 3. Volumetric Flow Rate (Nm<sup>3</sup>/hr.)

4. Ambient Air Temperature, <sup>0</sup>C

: Stack Emission of Boiler

: 865 ton/hr

: -do-

: Coal & 133 ton/hr

: 24 Hrs

: Stack attached to Boiler (Unit-II)

: Metal : 2.75

: 480 : 34

: For consent purpose (PPCB)

: ESP : Working

: Fly Ash

: Nil

:107

. 9

: 19.52 : 970476.98

Test Resulte

S. No.	Parameters	Method	*Standards	Result
1	Particulate Matter, mg/Nm <sup>3</sup> (Corrected at 12% CO <sub>2</sub> )	IS: 11255 (P-1)	100 Max.	45.3
2	Sulphur dioxide (SO <sub>2</sub> ), mg/Nm <sup>3</sup>	IS: 11255 (P-2)	600 Max.	576
3	Oxide of Nitrogen (NO <sub>2</sub> ), mg/Nm <sup>3</sup>	IS: 11255 (P-7)	300 Max.	268
4	Mercury as Hg, mg/Nm <sup>3</sup>	APHA Air	0.03 Max.	ND (0.01)

ND-Not Detectable, figure shown in bracket indicate method detection limit

Remark: During monitoring CO<sub>2</sub> was found to be 11.6 % v/v.

\* EPA-1986, PCLS/02/2010 (S.O.3305CE), dated: 07-12-2015 with Corrigendum dated: 07-03-2016

DOC: 25-12,2017

- End of Report -

Prem Kumar Tech. Manager (Env.)

NOTE: 1. The results listed refer only to tested sample and applicable parameters.

2. This certificate is not to be reproduced wholly or in parts promotional publicity or legal purpose without permission of authority of Testing Centre.



### had red owner by other it will be retain

the state of the s



c post		algebranes deleted the fermile	
	AND DESIGNATIONS		
	The state of the s		
	T) many risk from most rect.		

the contract of the contract particle in the contract of the c



#### Environmental Monitoring Report Ambient Air Air Quality Location wise

#### **Inside the Plant Premises**

Location 1 - Near Railway Over Bridge (ROB)

LUG	16		Location 1						
Sr. No.	Month	Date of Monitoring	*PM-2.5 (μg/m3)	*PM-10 (µg/m3)	*SO2 (μg/m3)	*NOX (µg/m3)	*CO (μg/m3)	*O3 (μg/m3)	*Hg (μg/m3)
1	600	02.10.2017	49	83	13	15	1.4	ND	ND
2		06.10.2017	43	77	15	18	1.3	ND	ND
3		09.10.2017	49	87	25	29	1.4	ND	ND
4		13.10.2017	47	85	29	32	1.3	ND	ND
5	Oct., 2017	16.10.2017	46	82	27	31	1.3	ND	ND
6		20.10.2017	56	98	35	51	1.4	ND	ND
7		24.10.2017	53	89	32	49	1.3	ND	ND
8	10013	27.10.2017	49	83	30	46	1.5	ND	ND
1		03.11.2017	49	86	29	53	1.3	ND	ND
2	014	06.11.2017	46	80	26	48	1.3	ND	ND
3		10.11.2017	43	81	29	42	1.4	ND	ND
4	N 2047	13.11.2017	53	89	22	27	1.3	ND	ND
5	Nov., 2017	17.11.2017	45	80	11	13	1.3	ND	ND
6	- 4	20.11.2017	41	79	25	29	1.2	ND	ND
7	Yest	24.11.2017	46	81	26	32	1.2	ND	ND
8		27.11.2017	48	78	28	35	1.3	ND	ND
1		01.12.2017	48	72	25	43	1.3	ND	ND
2	m	04.12.2017	46	78	20	24	1.3	ND	ND
4	CITY	8.12.2017	49	72	22	25	1.4	ND	ND
5		11.12.2017	49	84	19	23	1.2	ND	ND
6	Dec., 2017	15.12.2017	42	78	17	21	1.2	ND	ND
7		18.12.2017	39	75	13	20	1.2	ND	ND
		25.12.2017	34	68	11	18	1.2	ND	ND
8		29.12.2017	32	64	9	14	1.3	ND	ND
1		01.01.2018	47	70	24	28	1.4	ND	ND
2	798	04.01.2018	49	74	22	26	1.2	ND	ND
3	DIT.	8.01.2018	48	71	20	25	1.3	ND	ND
4		11.01.2018	51	75	21	26	1.4	ND	ND
5	Jan., 2018	15.01.2018	43	74	19	24	1.3	ND	ND
6	CAI	18.01.2018	42	72	18	23	1.2	ND	ND
7		25.01.2018	26	62	16	20	1.1	ND	ND
8	100	29.01.2018	42	73	21	23	1.1	ND	ND
1	DIV	01.02.2018	46	69	23	27	1.1	ND	ND
2		05.02.2018	44	65	21	25	1.3	ND	ND
3		08.02.2018	46	73	22	26	1.1	ND	ND
4		13.02.2018	26	47	9	11	1	ND	ND
5	Feb., 2018	15.02.2018	32	49	10	12	1.1	ND	ND
6		19.02.2018	44	75	19	25	1.2	ND	ND
7	Tur	22.02.2018	46	77	20	26	1.2	ND	ND
8	1111	27.02.2018	45	74	22	25	1.1	ND	ND
1	Du	01.03.2018	50	71	25	29	1.2	ND	ND
2		05.03.2018	47	67	22	26	1.2	ND	ND
3		08.03.2018	49	76	24	29	1.4	ND	ND
4	March,	12.03.2018	43	75	22	28	1.2	ND	ND
5	2018	19.03.2018	51	77	21	26	1.4	ND	ND
6		22.03.2018	54	81	23	29	1.2	ND	ND
7		27.03.2018	42	61	9	13	1.2	ND	ND
8		30.03.2018	39	60	10	14	1.2	ND	ND
-	mum	JUNE	26	47	9	11	1	0	0
_	imum		56	98	35	53	1.5	0	0
Mea			44.88	74.94	20.85	27.17	1.26	0	0
	dard Deviation	n	6.4	9.5	6.4	10.2	0.1	0	0
	ercentile	_	54.12	89.54	32.18	51.12	1.406	0	0



Sr.	Month	Date of	*PM-2.5	*PM-10	*SO2	*NOX	*co	*03	*Hg
No.	IVIOIIII	Monitoring	(µg/m3)	(μg/m3)	(µg/m3)	(µg/m3)	(µg/m3)	(µg/m3)	(µg/m3
1		02.10.2017	44	79	16	20	1.4	ND	ND
2		06.10.2017	46	75	18	21	1.2	ND	ND
3		09.10.2017	45	84	20	28	1.4	ND	ЙD
4	Oct., 2017	13.10.2017	39	80	22	31	1.4	ND	ND
5		16.10.2017	45	81	22	30	1.2	ND	ND
6		20.10.2017	54	97	34	49	1.7	ND	ND
7		24.10.2017	48	88	26	31	1.4	ND	ND
8		27.10.2017	45	84	25	31	1.4	ND	ND
1		03.11.2017	51	89	24	32	1.3	ND	ND
2		06.11.2017	42	81	23	33	1.2	ND	ND
3		10.11.2017	43	78	22	33	1.2	ND	ND
4	Nov.,	13.11.2017	49	87	21	26	1.2	ND	ND
5	2017	17.11.2017	41	75	14	18	1.2	ND	ND
6		20.11.2017	41	78	18	25	1.3	ND	ND
7		24.11.2017	39	77	21	28	1.3	ND	ND
8	130	27.11.2017	39	81	22	28	1.3	ND	ND
1		01.12.2017	46	75	21	27	1.2	ND	ND
2		04.12.2017	38	70	19	27	1.2	ND	ND
4		8.12.2017	38	70	20	29	1.4	ND	ND
5	Dec., 2017	11.12.2017	39	74	18	22	1.2	ND	ND
6	,,	15.12.2017	38	76	15	23	1.2	ND	ND
7		18.12.2017	37	72	11	15	1.3	ND	ND
		25.12.2017	35	68	10	14	1.2	ND	ND
8		29.12.2017	33	65	9	12	1.3	ND	ND
1		01.01.2018	44	73	20	25	1.3	ND	ND
2		04.01.2018	41	70	21	25	1.3	ND	ND
3		8.01.2018	39	69	19	27	1.4	ND	ND
4	Jan., 2018	11.01.2018	37	67	18	24	1.2	ND	ND
5	III	15.01.2018	39	72	16	25	1.4	ND	ND
6		18.01.2018	42	73	17	24	1	ND	ND
7	I A	25.01.2018	38	69	13	18	1.2	ND	ND
8		29.01.2018	49	75	19	24	1.3	ND	ND
1		01.02.2018	47	75	23	26	1.3	ND	ND
2	- 1 III	05.02.2018	43	72	20	22	1.2	ND	ND
3		08.02.2018	41	72	21	29	1.4	ND	ND
4	Feb., 2018	13.02.2018	37	44	10	12	1	ND	ND
5		15.02.2018	39	47	11	13	1.2	ND	ND
6		19.02.2018	46	75	19	26	1.3	ND	ND
7		22.02.2018	49	78	21	27	1.3	ND	ND
8	1.0	27.02.2018	47 42	76 73	20 19	25	1.2	ND	ND
2		01.03.2018	42	76		23	1.2	ND ND	ND ND
		05.03.2018		76	22		1.3	ND	ND
3		08.03.2018	46	70	21 19	28	1.2	ND	ND
5	March, 2018	12.03.2018	43 55	82	24	30	1.4	ND	ND
6	2018	19.03.2018 22.03.2018	49	78	22	27	1.3	ND	ND
7	100	27.03.2018	35	58	9	12	1.3	ND	ND
8		30.03.2018	39	56	7	11	1.3	ND	ND
	mum	30.03.2018	33	44	7	11	1.2	0	0
	imum		55	97	34	49	1.7	0	0
Mea	iiiiuiii		42.71	74.08	18.79	24.67	1.28	0	0
IAICG	ıı dard Deviati	on	5.0	9.4	5.1	6.9	0.1	0	0
Stan			54.06	89.48	26.48	33.96	1.418	0	0



•		D : 1		ation 3 -			40-	***	4
Sr.	Month	Date of	*PM-2.5	*PM-10	*SO2	*NOX	*CO	*03	*Hg
No.		Monitoring	(μg/m3)	(µg/m3)	(μg/m3)	(μg/m3)	(μg/m3)	(μg/m3)	(μg/m3
1		02.10.2017	55	89	16	21	1.2	ND	ND
2		06.10.2017	54	93	15	20	1.3	ND	ND
3		09.10.2017	49	86	. 24	28	1.2	ND	ND
4	Oct., 2017	13.10.2017	51	88	27	33	1.2	ND	ND
5		16.10.2017	50	87	29	35	1.3	ND	ND
6		20.10.2017	58	92	36	43	1.4	ND	ND
7		24.10.2017	56	89	34	40	1.3	ND	ND
8		27.10.2017	54	88	30	38	1.1	ND	ND
1		03.11.2017	54	84	30	43	1.4	ND	ND
2		06.11.2017	51	86	28	41	1.2	ND	ND
3		10.11.2017	51	84	29	34	1.3	ND	ND
4	Nov.,	13.11.2017	51	88	25	28	1.2	ND	ND
5	2017	17.11.2017	53	87	15	20	1.3	ND	ND
6		20.11.2017	51	79	24	29	1.3	ND	ND
7		24.11.2017	48	82	29	35	1.3	ND	ND
8	THA .	27.11.2017	43	73	28	36	1.2	ND	ND
1		01.12.2017	46	69	19	32	1.2	ND	ND
2	ш	04.12.2017	47	76	21	26	1.2	ND	ND
4	W	8.12.2017	46	72	23	30	1.2	ND	ND
5	2047	11.12.2017	48	70	21	26	1.2	ND	ND
6	Dec., 2017	15.12.2017	49	72	16	21	1.3	ND	ND
7	610	18.12.2017	39	71	11	16	1.2	ND	ND
	OH	25.12.2017	37	63	11	15	1.2	ND	ND
8	CLL.	29.12.2017	31	61	8	12	1.2	ND	ND
1	614	01.01.2018	49	68	21	29	1.3	ND	ND
2	044	04.01.2018	45	73	20	24	1.3	ND	ND
3	GH	8.01.2018	49	71	19	28	1.3	ND	ND
4	GM I	11.01.2018	47	74	22	25	1.4	ND	ND
5	Jan., 2018	15.01.2018	43	73	17	22	1.2	ND	ND
6	CONT	18.01.2018	45	74	19	25	1.2	ND	ND
7	014	25.01.2018	38	69	18	20	1.3	ND	ND
8	G94	29.01.2018	40	79	20	22	1.3	ND	ND
1	Dia 1	01.02.2018	46	73	22	28	1.2	ND	ND
2		05.02.2018	43	71	21	26	1.2	ND	ND
3	000	08.02.2018	48	73	20	26	1.2	ND	ND
	(M)				9				
5	Feb., 2018	13.02.2018 15.02.2018	35 38	42	10	11 12	1	ND	ND
6	CIN I		43				1.1	ND	ND
7		19.02.2018		72	21	27	1.2	ND	ND
_	COV	22.02.2018	45	74	22	28	1.1	ND	ND
8	- 101	27.02.2018	49	77	24	29	1.2	ND	ND
1		01.03.2018	51	76	23	29	1.4	ND	ND
2	976	05.03.2018	47	73	22	27	1.4	ND	ND
3		08.03.2018	48	79	18	21	1.4	ND	ND
4	March,	12.03.2018	52	78	20	24	1.2	ND	ND
5	2018	19.03.2018	50	77	21	25	1.3	ND	ND
6		22.03.2018	48	74	19	23	1.4	ND	ND
7		27.03.2018	39	62	11	14	1.2	ND	ND
8		30.03.2018	43	60	10	13 1.2 ND		ND	
	mum		31	42	8	11	1	0	0
	imum		58	93	36	43	1.4	0	0
Mea		03-1 110-1	46.94	75.31	20.79	26.25	1.24	0	0
	dard Deviation		5.7	10.7	6.5	8.0	0.1	0	. 0
QR P	ercentile	Post III	56.12	92.06	34.12	43	1.4	0	0



Location 4 - Residential Colony											
Sr.	Month	Date of	*PM-2.5	*PM-10	*SO2	*NOX	*CO	*03	*Hg		
No.		Monitoring	(µg/m3)	(µg/m3)	(µg/m3)	(μg/m3)	(µg/m3)	(µg/m3)	(μg/m3		
1		02.10.2017	52	81	14	18	1.3	ND	ND		
2	4	06.10.2017	48	79	16	19	1.2	ND	ND		
3	TTA	09.10.2017	49	83	27	31	1.3	ND	ND		
4	Oct., 2017	13.10.2017	51	85	29	33	1.2	ND	ND		
5	44	16.10.2017	50	84	28	32	1.4	ND	ND		
6		20.10.2017	56	96	38	42	1.2	ND	ND		
7	100	24.10.2017	24	87	34	39	1.4	ND	ND		
8	- 1114	27.10.2017	52	85	32	36	1.3	ND	ND		
1	YIM	03.11.2017	54	82	28	41	1.3	ND	ND		
2	10/	06.11.2017	48	82	29	38	1.4	ND	ND		
3		10.11.2017	48	78	24	38	1.2	ND	ND		
4	Nov.,	13.11.2017	46	83	26	29	1.4	ND	ND		
5	2017	17.11.2017	49	78	12	16	1.4	ND	ND		
6	XW	20.11.2017	45	81	25	29	1.2	ND	ND		
7	100	24.11.2017	47	79	23	28	1.4	ND	ND		
8	70%	27.11.2017	45	75	29	31	1.3	ND	ND		
1	mi .	01.12.2017	47	71	22	35	1.2	ND	ND		
2	nih .	04.12.2017	38	74	23	27	1.3	ND	ND		
4	rith .	8.12.2017	42	76	22	24	1.2	ND	ND		
5	Dec., 2017	11.12.2017	38	72	18	23	1.2	ND	ND		
6	Dec., 2017	15.12.2017	41	73	15	19	1.3	ND	ND		
7	100	18.12.2017	37	71	12	17	1.2	ND	ND		
	LTM .	25.12.2017	34	67	10	13	1.2	ND	ND		
8	Tim	29.12.2017	31	63	9	11	1.3	ND	ND		
1	CODE	01.01.2018	45	68	20	24	1.3	ND	ND		
2	1000	04.01.2018	47	70	19	26	1.2	ND	ND		
3	0.070	8.01.2018	44	74	21	23	1.2	ND	ND		
4	Jan., 2018	11.01.2018	41	69	17	21	1.3	ND	ND		
5	3011., 2018	15.01.2018	39	71	16	- 20	1.4	ND	ND		
6	UN	18.01.2018	42	74	18	22	1.1	ND	ND		
7	Oy	25.01.2018	37	69	14	19	1.2	ND	ND		
8	1015/0	29.01.2018	49	78	22	24	1.1	ND	ND		
1	1137	01.02.2018	42	71	19	25	1.3	ND	ND		
2	110	05.02.2018	45	71	18	23	1.2	ND	ND		
3	LUA	08.02.2018	48	76	20	24	1.4	ND	ND		
4	Feb., 2018	13.02.2018	34	54	8	12	1	ND	ND		
5	1 2010	15.02.2018	42	55	11	13	1	ND	ND		
6	TUD.	19.02.2018	45	76	19	24	1.3	ND	ND_		
7		22.02.2018	47	78	21	26	1.2	ND	ND		
8	11/1	27.02.2018	50	79	23	27	1.1	ND	ND		
1	D1	01.03.2018	48	74	20	27	1.2	ND	ND		
2	TIVI	05.03.2018	46	72	19	24	1.2	ND	ND		
3	19	08.03.2018	47	78	19	23	1.3	ND	ND		
4	March,	12.03.2018	50	77	31	25	1.4	ND	ND		
5	2018	19.03.2018	52	79	22	27	1.4	ND	ND		
6		22.03.2018	49	78	20	26	1.2	ND	ND		
7		27.03.2018	37	58	8	12	1.4	ND	ND		
8		30.03.2018	39	61	9	14	1.3	ND	ND		
	imum	2 10	24	54	8	11	1	0	0		
	imum	A.A	56	96	38	42	1.4	0	0		
Mea		10.1	44.52	74.90	20.40	25.00	1.26	0	0		
_	dard Deviati	on	6.3	8.1	7.0	7.8	0.1	0	0		
98 P	ercentile	A. A. 194	54.12	87.54	34.24	41.06	1.4	0	0		



In surrounding villages  Location 5 - Goindwal Sahib  Sr Date of *PM-2.5 *PM-10 *SO2 *NOV *CO *O2 *Har											
Sr.	1117/111 111	Date of	*PM-2.5	*PM-10	*SO2	*NOX	*co	*03	*Hg		
No.	Month	Monitoring	(µg/m3)	(µg/m3)	(µg/m3)	(µg/m3)	(µg/m3)	(µg/m3)	(μg/m3)		
1		02.10.2017	40	72	13	17	1.2	ND	ND		
2		06.10.2017	49	78	14	16	1.4	ND	ND		
3		09.10.2017	51	89	27	31	1.4	ND	ND		
4	0+ 2017	13.10.2017	48	85	31	36	1.3	ND	ND		
5	Oct., 2017	16.10.2017	43	81	25	33	1.2	ND	ND		
6		20.10.2017	59	98	32	43	1.3	ND	ND		
7		24.10.2017	56	95	29	36	1.2	ND	ND		
8		27.10.2017	44	92	25	28	1.2	ND	ND		
1		03.11.2017	52	90	27	39	1.3	ND	ND		
2		06.11.2017	42	87	23	32	1.4	ND	ND		
3		10.11.2017	41	81	24	30	1.4	ND	ND		
4	Nov.,	13.11.2017	52	86	29	34	1.4	ND	ND		
5	2017	17.11.2017	38	69	12	15	1.4	ND	ND		
6		20.11.2017	37	69	11	15	1.4	ND	ND		
7		24.11.2017	38	76	21	28	1.4	ND	ND		
8		27.11.2017	49	88	25	31	1.2	ND	ND		
1	Um I	01.12.2017	44	81	21	34	1.3	ND	ND		
2	- 197	04.12.2017	45	70	23	28	1.3	ND	ND		
4	UST	8.12.2017	43	75	23	29	1.3	ND	ND		
5	Dec., 2017	11.12.2017	39	73	21	28	1.2	ND	ND		
6		15.12.2017	31	61	7	11	1.3	ND	ND		
7	041	18.12.2017	31	61	7	11	1.2	ND	ND		
	- Orh	25.12.2017	35	58	8	12	1.2	ND	ND		
8	Urr	29.12.2017	30	56	6	10	1.2	ND	ND		
1		01.01.2018	47	78	19	25	1.4	ND	ND		
2	_Own	04.01.2018	45	75	22	28	1.2	ND	ND		
3	011	8.01.2018	42	73	20	26	1.4	ND	ND		
4	Jan., 2018	11.01.2018	41	71	18	25	1.3	ND	ND		
5		15.01.2018	38	69	15	21	1.4	ND	ND		
6		18.01.2018	43	73	17	22	1.2	ND	ND		
7		25.01.2018	36	67	13	19	1.1	ND	ND		
8	<u> </u>	29.01.2018	42	73	21	23	1.1	ND	ND		
1	140	01.02.2018	46	77	18	24	1.3	ND	ND		
2	Ort	05.02.2018	42	73	21	27	1.2	ND	ND		
3		08.02.2018	44	75	21	25	1.2	ND	ND		
4	Feb., 2018	13.02.2018	30	39	9	11	1	ND	ND		
5		15.02.2018	32	45	10	13	1.1	ND	ND		
6		19.02.2018	46	78	22	27	1.2	ND	ND		
7	- IIII	22.02.2018	49	76	20	26	1.3	ND	ND		
8	mt	26.02.2018	51	81	24	29	1.1	ND	ND		
1		03.03.2018	49	79	19	26	1.3	ND	ND		
2	m <sup>A</sup>	06.03.2018	52	81	22	28	1.2	ND	ND		
3	mi -	09.03.2018	53	79	23	26	1.3	ND	ND		
4	March,	13.03.2018	52	80	24	27	1.2	ND	ND		
5	2018	20.03.2018	42	68	18	24	1.3	ND	ND		
6	- CV-	23.03.2018	54	81	25	29	1.4	ND	ND		
7	CITY	26.03.2018	40	69	10	15	1.2	ND	ND		
8		29.03.2018	40	59	9	12	1.3	ND	ND		
	mum	100	30	39	6	10	1	0	0		
	imum		59	98	32	43	1.4	0	0		
Mea		-0 0	43.60	74.79	19.25	24.69	1.27	0	0		
	dard Deviation	on	7.0	11.6	6.8	8.1	0.1	0	0		
98 P	ercentile		56.18	95.18	31.06	39.24	1.4	0	0		



				ation 6 - I					
Sr. No.	Month	Date of Monitoring	*PM-2.5 (μg/m3)	*PM-10 (μg/m3)	*SO2 (µg/m3)	*NOX (µg/m3)	*CO (µg/m3)	*O3 (µg/m3)	*Hg (µg/m3
1		02.10.2017	42	75	15	18	1.4	ND	ND
2		06.10.2017	47	72	12	16	1.3	ND	ND
3		09.10.2017	51	79	26	30	1.2	ND	ND
4	- IIIa	13.10.2017	42	77	28	33	1.2	ND	ND
5	Oct., 2017	16.10.2017	47	78	25	29	1.4	ND	ND
6	1,111	20.10.2017	54	97	34	49	1.2	ND	ND
7	1004	24.10.2017	48	89	29	33	1.3	ND	ND
8	1111	27.10.2017	46	87	30	34	1.3	ND	ND
1		03.11.2017	45	87	24	36	1.3	ND	ND
2	TIM		49	89	26	36	1.2	ND	ND
	CLU	06.11.2017			-				
3	KHA	10.11.2017	43	77	28	36	1.3	ND	ND
4	Nov.,	13.11.2017	54	81	28	31	1.2	ND	ND
5	2017	17.11.2017	39	72	13	16	1.3	ND	ND
6	TM	20.11.2017	39	72	13	15	1.3	ND	ND
7	IN T	24.11.2017	42	71	21	25	1.4	ND	ND
8	VII	27.11.2017	41	82	26	30	1.2	ND	ND
1	H I	01.12.2017	44	74	20	32	1.4	ND	ND
2	UM.	04.12.2017	44	72	24	28	1.2	ND	ND
4	All A	8.12.2017	38	72	23	31	1.2	ND	ND
5	Dec., 2017	11.12.2017	41	71	22	29	1.2	ND	ND
6	Dec., 2017	15.12.2017	35	68	10	14	1.2	ND	ND
7	Like	18.12.2017	33	65	9	12	1.2	ND	ND
	chi	25.12.2017	31	62	11	15	1.3	ND	ND
8		29.12.2017	29	59	10	13	1.2	ND	ND
1	COLUMN TO THE PARTY OF THE PART	01.01.2018	41	73	21	28	1.3	ND	ND
2	mid	04.01.2018	40	71	23	27	1.3	ND	ND
3	TD/	8.01.2018	39	70	20	26	1.4	ND	ND
4		11.01.2018	38	69	19	25	1.3	ND	ND
5	Jan., 2018	15.01.2018	37	65	15	21	1.4	ND	ND
6		18.01.2018	42	71	19	24	1.3	ND	ND
7	000	25.01.2018	35	66	12	18	1	ND	ND
8	000	29.01.2018	46	74	22	28	1.2	ND	ND
1		01.02.2018	42	74	22	29	1.2	ND	ND
2	- QVI	05.02.2018	41	72	24	28	1.4	ND	ND
3	1.150	08.02.2018	45	76	24	29	1.3	ND	ND
4	UV.	13.02.2018	35	42	8	11	1.5	ND	ND
5	Feb., 2018	15.02.2018	45	51	10	13	1.2	ND	ND
6	GAI 1	19.02.2018	44	73	20	25	1.2	ND	ND
7	Ovi	22.02.2018	47	79	_	28		ND	ND
8	QV .		47	76	23	28	1.2	ND	ND
	174	26.02.2018	44				-	ND	ND
1	CO I	03.03.2018		76	23	30	1.2		ND
2		06.03.2018	47	78	21	27	1.4	ND	_
3	NAl	09.03.2018	54	81	23	27	1.2	ND	ND
4	March,	13.03.2018	53	82	25	29	1.3	ND	ND
5	2018	20.03.2018	39	65	17	22	1.2	ND	ND
6	Opt.	23.03.2018	53	80	24	28	1.3	ND	ND
7	Option	26.03.2018	38	60	9	14	1.4	ND	ND
8	707	29.03.2018	36	58	10	13	1.2	ND	ND
_	imum		29	42	8	11	1	0	0
	dimum		54	97	34	49	1.4	0	0
Mea		Act III	42.75	73.13	20.08	25.40	1.26	0	0
	ndard Deviati	on	6.0	9.8	6.6	8.0	0.1	0	0
98 P	Percentile		54	89.48	30.24	36.78	1.4	0	0




Location 7 - Vairowal           Sr.         Date of PM-2.5         *PM-10         *SO2         *NOX         *CO         *O3         *Hg											
Sr. No.	Month	Date of Monitoring	*PM-2.5 (μg/m3)	*PM-10 (µg/m3)	*SO2 (μg/m3)	*NOX (µg/m3)	*CO (µg/m3)	*Ο3 (μg/m3)	*Hg (µg/m3)		
1		02.10.2017	48	77	14	17	1.2	ND	ND		
2		06.10.2017	52	82	16	19	1.3	ND	ND		
3		09.10.2017	44	75	25	27	1.3	ND	ND		
4		13.10.2017	45	79	27	31	1.2	ND	ND		
5	Oct., 2017	16.10.2017	43	75	25	29	1.3	ND	ND		
6		20.10.2017	53	95	32	46	1.3	ND	ND		
7	HIL	24.10.2017	50	89	28	33	1.2	ND	ND		
8	700	27.10.2017	49	76	26	30	1.4	ND	ND		
1		03.11.2017	49	83	26	35	1.4	ND	ND		
2		06.11.2017	47	79	23	33	1.4	ND	ND		
3		10.11.2017	44	79	24	32	1.4	ND	ND		
4		13.11.2017	47	79	23	26	1.4	ND	ND		
5	Nov., 2017		45	75	12						
	2017	17.11.2017		1		15	1.2	ND	ND		
6		20.11.2017	49	78	14	17	1.2	ND	ND		
7		24.11.2017	38	71	22	26	1.3	ND	ND		
8	GIA _	27.11.2017	44	79	22	29	1.2	ND	ND		
1	- UK	01.12.2017	41	72	21	29	1.2	ND	ND		
2		04.12.2017	41	70	20	22	1.3	ND	ND		
4	018	8.12.2017	42	70	20	30	1.2	ND	ND		
5	Dec., 2017	11.12.2017	46	76	19	22	1.3	ND	ND		
6		15.12.2017	44	73	11	15	1.2	ND	ND		
7	- Dur	18.12.2017	42	69	11	15	1.2	ND	ND		
	- Curr	25.12.2017	34	65	15	21	1.2	ND	ND		
8	Desc	29.12.2017	32	63	13	19	1.3	ND	ND		
1	LEN	01.01.2018	39	71	22	30	1.3	ND	ND		
2	CHIII.	04.01.2018	38	70	24	26	1.4	ND	ND		
3	Other	8.01.2018	37	69	23	25	1.3	ND	ND		
4	lan 2019	11.01.2018	36	67	21	24	1.4	ND	ND		
5	Jan., 2018	15.01.2018	39	69	14	19	1.3	ND	ND		
6	911	18.01.2018	43	73	18	21	1.3	ND	ND		
7	13374	25.01.2018	37	69	14	19	1.2	ND	ND		
8	911	29.01.2018	48	76	20	23	90 1	ND	ND		
1	-14	01.02.2018	40	72	23	31	1.2	ND	ND		
2	CI/E	05.02.2018	39	71	25	22	1.2	ND	ND		
3	QIL	08.02.2018	41	71	22	24	1.3	ND	ND		
4	gill	13.02.2018	32	41	8	11	1	ND	ND		
5	Feb., 2018	15.02.2018	37	46	11	12	1.2	ND	ND		
6	SW .	19.02.2018	47	74	19	25	1.4	ND	ND		
7	911	22.02.2018	45	75	21	26	1.1	ND	ND		
8	gp I	26.02.2018	50	77	22	28	1.2	ND	ND		
1	OH I	03.03.2018	45	76	22	28	1.4	ND	ND		
2		06.03.2018	42	74	17	22	1.2	ND	ND		
3	CHI	09.03.2018	43	72	21	25	1.4	ND	ND		
4	March,	13.03.2018	46	74	22	26	1.2	ND	ND		
5	2018	20.03.2018	41	66	16	21	1.4	ND	ND		
6	2016	23.03.2018	56	82	26	30	1.4	, ND	ND		
7	GHI I	26.03.2018	39	56	8	11	1.2	ND	ND		
8		29.03.2018	40	58	9	13					
	mum	23.03.2010		41			1.2	ND	ND		
	imum	1.00	32 56		8	11	1 1 1	0	0		
Mea		12. 61	43.10	95	32	46	1.4	0	0		
	n dard Deviation	an .		72.27	19.52	24.17	1.27	0	0		
Judn	uaru Deviati	JII	5.3	9.1	5.7	7.0	0.1	0	0		



Location 8 - Mundi Village  Sr Date of											
Sr. No.	Month	Date of Monitoring	*PM-2.5 (μg/m3)	*PM-10 (μg/m3)	*SO2 (µg/m3)	*NOX (µg/m3)	*CO (μg/m3)	*Ο3 (μg/m3)	*Hg (μg/m3		
1		02.10.2017	42	73	12	16	1.4	ND	ND		
2		06.10.2017	49	72	13	15	1.2	ND	ND		
4	18	13.10.2017	44	78	26	30	1.4	ND	ND		
5	Oct., 2017	16.10.2017	49	82	28	32	1.2	ND	ND		
6		20.10.2017	56	93	38	42	1.2	ND	ND		
7	mis :	24.10.2017	46	89	33	39	1.3	ND	ND		
8		27.10.2017	47	82	30	36	1.3	ND	ND		
1		03.11.2017	44	83	30	42	1.5	ND	ND		
2	Tibe	06.11.2017	49	84	28	38	1.3	ND	ND		
3	Ulka	10.11.2017	51	84	27	40	1.4	ND	ND		
4	Nov.,	13.11.2017	48	77	24	29	1.3	ND	ND		
5	2017	17.11.2017	44	69	12	14	1.3	ND	ND		
6	ZII.	20.11.2017	43	69	20	26	1.4	ND	ND		
7	ZIII	24.11.2017	38	73	22	28	1.2	ND	ND		
8	714	27.11.2017	37	77	26	31	1.4	ND	ND		
1	LIM	01.12.2017	38	77	24	38	1.3	ND	ND		
2	Tille .	04.12.2017	43	72	21	34	1.2	ND	ND		
4	110	8.12.2017	43	72	20	25	1.3	ND	ND		
4	Villa I	11.12.2017	45	71	19	23	1.2	ND	ND		
6	Dec., 2017	15.12.2017	41	64	17	21	1.2	ND	ND		
7		18.12.2017	39	60	10	18	1.3	ND	ND		
	COA T	25.12.2017	35	59	11	16	1.2	ND	ND		
8	(38)	29.12.2017	33	56	9	15	1.2	ND	ND		
1	61	01.01.2018	42	74	23	31	1.4	ND	ND		
2	COA.	04.01.2018	40	73	22	30	1.3	ND	ND		
3		8.01.2018	42	71	21	27	1.4	ND	ND		
4	770	11.01.2018	43	69	20	25	1.3	ND	ND		
5	Jan., 2018	15.01.2018	40	67	19	23	1.4	ND	ND		
6	CH	18.01.2018	46	74	19	25	1.1	ND	ND		
7	1994	25.01.2018	29	64	11	17	1.1	ND	ND		
8	CD/	29.01.2018	47	75	19	21	1	ND	ND		
1	730	01.02.2018	43	75	24	29	1.3	ND	ND		
2		05.02.2018	41	74	23	28	1.2	ND	ND		
3		08.02.2018	47	76	23	28	1.2	ND	ND		
4	TIN	13.02.2018	39	47	9	13	1.2	ND	ND		
5	Feb., 2018	15.02.2018	40	52	11	14	1.1	ND	ND		
6		19.02.2018	46	73	21	26	1.4	ND	ND		
7		22.02.2018	47	74	22	27	1.2	ND	ND		
8	.00	26.02.2018	51	78	24	29	1.1	ND	ND		
1		03.03.2018	46	78	21	24	1.1	ND	ND		
2	OH.	06.03.2018	46	76	24	26	1.2	ND	ND		
3	000	09.03.2018	50	79	24	29	1.2	ND	ND		
4	March,	13.03.2018	48	77	22	27	1.4	ND	ND		
5	2018	20.03.2018	48	69	19	25	1.3	ND	ND		
6		23.03.2018	55	82	25	29	1.2	ND	ND		
7			35	57				ND	ND		
	₫vi•	26.03.2018		-	7	11	1.3		ND		
8 Min	imum	29.03.2018	32 <b>29</b>	54 <b>47</b>	7	10 10	1.3 1	ND 0	0		
	imum	-	56	93	38	42	1.5	0	0		
		-						0			
Mea	in Idard Deviati	on .	43.45 5.6	72.43 9.4	20.45 6.9	26.00 8.2	0.1	0	0		
	uaiu Devidti	UII	2.0	7.4	0.9	0.4	U.L		U		

<sup>\*</sup> Above tabulated data taken from monitoring report generated by outsource agency (Interstellar Testing Center), Panchkula, Registration No. PPCB/AIR LAB/32/27910, approved by PPCB/CPCB) engaged by company.









OVK OVK POWER (GOINDWAL SAHIB) LIMITED., 2X270 MW THERMAL POWER PROJECT, GOINDWALSAHIB, TARN TARAN, PUNJAB

## MOTHER EARTH DID EVERYTHING TO SAVE US, NOW ITS OUR TURN!





Van Mahotsav Week

Dt. 07.07.2017 TO 13.07.2017















































# Tree Planting Drive at GVKPGSL By Security Team













































## Tree Planting Drive at GVKPGSL By GVK employees/families/kids/children











#### Concluding function of VAN MAHOTSAV at GVKPGSL





Children's Group pic with Plant Head

General Talk with childrens by Plant Head



#### Concluding function of VAN MAHOTSAV at GVKPGSL GVK





**Guests on the Dais** 

#### Concluding function of VAN MAHOTSAV at GVKPGSL GVK









### Kids/children performing Poem/Narration/ Speech in the event of VAN MAHOTSAV at GVKPGSL









### Kids/children performing Poem/Narration/ Speech in the event of VAN MAHOTSAV GVK at GVKPGSL











### Kids/children performing Poem/Narration/ Speech in the event of VAN MAHOTSAV at GVKPGSL









#### Recognition by GVK Officers











### Recognition by GVK Officers/Familiy











#### **Recognition by GVK Officers**













# Concluding Speech by Chief Guest Shri Vikas Chandra Shukla- Plant Head Sr. VP (O&M)










#### 2x270 MW Coal Based Thermal Power Plant

### GVK POWER (GOINDWAL SAHIB) LIMITED, GOINDWAL SAHIB

Celebrated 45th WED, 2017

UNEP DEDICATED AN THEME TOWARDS World Environment Day, 2017 Globally Hosted by Canada Country

GVK POWER (GOINDWAL SAHIB) LIMITED



#### Tree Planting Campaign at GVKPGSL




together for planting tree





#### Tree Planting Campaign at GVKPGSL



Love For This Planet With Planting Tree





go green!



#### Tree Planting Campaign at GVKPGSL



Plant A Tree = Plant A Life





#### Tree Planting Campaign at GVKPGSL



Go Green For A Sustainable Living





#### Tree Planting Campaign at GVKPGSL



Protect Our Earth Today For Oll' Children's Tomorrow





#### Tree Planting Campaign at GVKPGSL




The Best Time To Plant A Tree Was
Twenty Years Ago. The Next Best
Time is Today.







#### Tree Planting Campaign at GVKPGSL





Only when the last tree has died, the last river has been poisoned and the last fish has been caught, will we realize that we cannot eat money?



#### fv G

### Gathering after Plantation activity



### GVK POWER (GOINDWAL SAHIB) LIMITED, GOINDWAL SAHIB

पर्यावरण के प्रति समर्पण और भावनाओं की अभिव्यक्ति





Inaugurated By Smt. Sheema Shukla















# Conducted Environment awareness programme through Essay Competition among GVK Employees at GVKPGSL Topic- Connecting People To Nature

Clonnecting peoples to the nature. In other was at may be called track to Bours.

torrecting with nature means something with one self, serveting with nature also maons one self, serveting with nature also maons one self, serveting with nature also moons that they be then then Mehatina Gandhi. He was to day "the most cake about world one will not see the first than Mehatina Gandhi. He was to day "the most cake about world one will not see the principal self world on a guar of water how dised might be, just a glass of water how dised might be, just a glass of water and things the main bedy corne wife contact with an form a window brings you main the first fail energy little and bedy corne wife contact will have suppressed the but faill and in the first fail in appetuited the but faill a appreciate. In 5 th June will be sure movement of connecting with nature must be sure answered the will have the failled by one amenture has being generalism with the burifilled.

Under declare, with about princement, the coming generalism with the burifilled.

Under declare, with above failing we have, its due to the earth fail our mathematic will be the said with a love mathematic and the set sort will be sure that the contact of the said will also the said with a love mathematic and the said will also the said will be sure the said will also the said will be sure to an essential hast to consider some the said will be much to heading it to said involve ourselves with his said involve and the said the said involve ourselves with his said for lawy a direct free considered our sure law of the said involve ourselves with his said for lawy a direct free the said involve ourselves with his said for lawy a direct free the said involve ourselves with his said for lawy a direct of the said for the said involve ourselves with his said for lawy a direct of the said involve ourselves with his said for lawy a direct of the said with the said with the said with the said involve ourselves and said with said involves and the said with the said

Mr. Mahesh Kumar, Secured 1st Position



# Conducted Environment awareness programme through Essay Competition among GVK Employee's Families at GVKPGSL Topic- Plants /Trees are the Blessing of the Nature

PLANTS/TREES ARE THE ELECTION OF MATERIA. cince the dawn at time their have been part of the human diffe hat only human that also the animal () diffe and the diffe of planet Disk shar the air and provide exygen-Him making their our proof the country for pathoda to the air Daving the proof that have a description of the proof that the subject of the proof that the pathoda to the pathoda.

(3) I have control to be pathoda. That doll robe following by charging the direction of cound contain (4) From prevent floods & contrate appriorswithin it notice med vigilation - not only drus they a great note in powerting, floods: Therets of vigilations keep sell intact, powerting more (5) Condominated soil & white can be channel by these-Another simple from that it that it can actually clim and a water council Main coun-(6) True con state pollectants for their own we or Muy can change the pollectants into discharged feerme. Their act as extend limits on windy and winter consorts true can not as using bounts: (8) Their provide an with society assurtial products These provide us facility and segulables for fool-

Smt. Anuradha Shukla W/o- Mr. Vikas Shukla, Secured 1st Position Sivo

Conducted Environment awareness programme through


Essay Competition among GVK Employee's Families at GVKPGSL

Topic-Plants /Trees are the Blessing of the Nature



Sent. Anumdha Shakla W/o-Mt Vkas Shukla. Secured 12 Position


### GVK Concluding function of World Environment Day, 2017 at GVKPGSL



**Guests on the Dais** 



#### Concluding function of World Environment Day, 2017 at GVKPGSL



**Chief Guest Welcome by Shri G. Narayana** 

### **GVK**Concluding function of World Environment Day, 2017 at GVKPGSL





### Video Film show for Environment Awareness during Concluding function of World Environment Day, 2017 at GVKPGSL GVK









## On Spot Environment Quiz Competition for all during GVK Concluding function of World Environment Day, 2017 at GVKPGSL









# Prize distributions by Sr. Executives to the Drawing Competition Winner





Saanvi Gaikwad D/o Sudhir Gaikwad Secured 1<sup>st</sup> Position, Group- Nursery – 1<sup>st</sup> Class

Theme- Picture of the Birds on the Tree




#### **GVK**

## Prize distributions by Sr. Executives to the Drawing Competition Winner



Arya Tiwari D/o Rishikesh Tiwari Secured 1<sup>st</sup> Position, Group- 2<sup>nd</sup> - 4<sup>th</sup> Class

**Theme-Water is Life** 




#### G

## Prize distributions by Sr. Executives to the Drawing Competition Winner



Vishesh Bindal S/o Manoj Bindal Secured 1<sup>st</sup> Position, Group- 5<sup>th</sup> - 8<sup>th</sup> Class

**Theme- Save Environment** 



# Prize distributions by Sr. Executives to the Drawing Competition Winner











# Prize distributions by Sr. Executives to the Drawing Competition Winner & Essay Competition Winners among Families











# Prize distributions by Sr. Executives to Essay Competition Winners among Employees





### Prize distributions by Sr. Executives to the on Spot Quiz Winner















# Consolation Prize distributions by Sr. Executives














# Concluding Speech by Chief Guest Shri Vikas Chandra Shukla- Sr. VP (O&M)







**GVK** 

